

DONGYING
CHINA

星辉精铸
XINGHUI PRECISION

东营星辉精铸金属有限责任公司
Dongying Xinghui Precision Metal Co., Ltd

东营新星船舶设备制造有限公司
Dongying Xinxing Marine Equipment Manufacture Co.,Ltd

HENGDA INTERNATIONAL PTY LTD（澳洲）

Contents 目录



P6–11
索栓



P11–15
导缆孔 羊角 铁板凳 导缆器



P15–33
缆桩 旗杆座 锚支架 栏杆座 管座



P33–P37
三通 弯头 四通



P37–42
滑帽 滑套 管夹 连接管



P42–47
圆盘 搭扣 栏杆支座 山型座



P48–P51
连接弯管 支架 甲板铰链



P51–69
合页 铰链 插销 地板扣 通风盖



P69–73
支撑 雷达架 挂钩 骆驼背



P74–78
夹绳器 地板锁 锁体



P78–84
丝堵 出水口 过滤器 加油口 透气口



P85–88
螺钉 茶杯座 鱼杆座 停锚



P89–95
把手 门碰 浆叉 门碰钩 连接环
灯罩 伸缩梯



P95–100
锚 锚链 锚链接 止链器



P100–107
舵轮 方向盘 玻璃幕墙支撑 脚踏板
玻璃夹



P107–112
挂钩 卸扣 转环 D型拉手



P112–120
U型栓 滑轮 弹簧钩 吊环螺母 滑道



P121–129
门鼻子 D型环 花篮 接线器



P130–145
套环 卡头 挂钩 扶手 接头 喉箍
钢丝绳



P146
拖车配件 其它扶手 旗杆



P147
展会照片

Company profile 公司简介

东营星辉精铸金属有限责任公司始建于2003年，地处中国第二大油田——胜利油田腹地，美丽的海滨城市，山东省东营市。

公司开发生产各种不锈钢精密铸件及机加工产品，主要有船用五金，建筑五金等。2010年公司引进全自动数控折弯机，数控缩管机，数控车床，数控铣床等先进的设备，开发生产的船用遮阳棚，船扶手，护栏等产品成为公司一大亮点。公司以科学的生产工艺，先进的生产设备，严格的质量控制，雄厚的技术力量赢得了新老客户的好评。90%的产品出口到欧洲，美国，日本，澳大利亚等国家。

多年来公司本着客户至上，诚信务实，勇于负责的管理理念，与国内外客户建立了真诚，稳定的商贸合作关系。

东营星辉公司现已成为中国领先制造商和世界知名的船用五金供应商。

Dongying Xinghui Precision Metal Co., Ltd was founded in 2003 and located in the second big oil field——Shengli oilfield, new industrial zone, Dongying, Shandong province,China.

Xinghui produces a wide variety of high-grade precision castings and machined parts in stainless steel including marine hardware, construction hardware etc. Xinghui has fetched in full automatic bending machine to produce bimini tops, boat handrails, gunwale railing. By means of the world's advance technology, new scientific process, strong quality control, Xinghui has won a good reputation from the customers. More than 90% products are exported to EU,United states, Japan,Australia etc.

Xinghui has become a leading manufacturer in China and well-known supplier in field of marine equipment.

Xinghui would like to establish a sincere and steady business relationship with customers from all over the world.
















射 蜡 Wax Pattern



制 壳 Shell Making



数控加工 CNC Machine



抛光车间一角 Corner of Polish Factory



机加工一角 Machine Process



加工中心 CNC Machine



盐雾试验 Salt Spray Test Machine



光谱分析 Chemical Composition Analysing



数控加工 CNC Machine



数控铣床 Milling Machine




数控弯管 Tube Bending Machine



办公室一角 One Corner of Office

Hollow Base Cleat 圆索栓






Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0002A 4"	101.6	36.4	25.4	48.3	22.3
XH0002B 5"	127	39	27.4	53.8	25.3
XH0003A 6"	152.4	44	31	56.5	26.1
XH0003D* 6"	152.4	46.2	31	56.9	26.1
XH0005C 8"	203.2	53.6	41.3	75.5	28.5
XH0005D* 8"	203.2	52	38	75.8	36.5
XH0006C 10"	254	65	50	95.1	44
XH0007D 12"	304.8	70.3	52.5	98.7	48.7

* heavy

Heavy Duty Cleat 索栓






Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0006G 10"	254.3	71	60	98	47

Cleat 索栓






Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0008D 12"	304	90	8.2	Ø9.8	30

Cleat 索栓






Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH200019 19"	480	180	124	58	Ø14.4

Cleat 索栓






Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH200012 12"	300	79	9	19	32
XH200015 15"	380	116	9	19	42

Cleat 重圆索栓


Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH200015-B	400	80	60	125	M20*85





Surfboard Cleat 扁孔索栓


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0007C 4-5/16"	110.9	7.05	25.4	Φ5.5
XH0007F 6-5/16"	160	22.2	34.9	Φ6.5
XH0007E 8-1/4"	209	25	48	Φ8.5





Low Silhouette Cleat 扁索栓


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0004A 5"	124.3	46	25.2	41.2	29.5
XH0005A 6"	148	56	28.7	40.2	39.5
XH0006A 8"	198.4	62	31.2	49.3	39.5
XH0007A 10"	254	63.7	40	57.6	44.8





Cleat 扁索栓


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHM60182-211-002	224	50	75	Φ10.2






Cleat K型索栓

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH133001	210	45	65	M10
XH133002	260	60	90	M12










Flush Cleat 推拉式索栓

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH1209 5"	130	31.7	65	M6*41
XH1210 6"	160	35	70	M10*48
XH1211 8"	210	45	96	M10*66
XH1213A 10"	260	57	121	M12*80
XH1214A 12"	310	69	125	M12*80






Devt Cleat 索栓

Art. No.	Length	Width	Heigth	WT(g)
XH1233	15"	2"	3"	2800






Cleat 索栓

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHCY-13	154.8	32	87	21.8






Flush Cleat 推拉式索栓

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH1509 5"	127	42	20	18.5	M22
XH1510 6"	150	43.7	20	18.6	M24






Cleat K扁索栓

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0012	220	31	51	95	M8*15






Round Tube Cleat 圆管式索栓

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0512 11-1/2"	292.1	38.1	88.9	25	M12

Oval Tube Cleat 椭圆管式索栓


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0521 6"	150	19	55	120	69.5
XH0522 8"	203.2	34	58.3	140	67.5
XH0523 10"	250	40	70	150	84
XH0524 12"	304.8	50	80	178	83





Oval Tube Cleat 椭圆管式索栓


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH5010140	300	96	200	40	59





Cleat With Threaded Stud 扁索栓


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH1208-B 8"	203.2	60	M12	84	8
XH1209-B 10"	254	60	M12	98	10
XH1210-B 12"	304.8	60	M12	116	13
XH1211-B 15"	381	60	M12	140	15





Cleat With Threaded Stud 扁索栓


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH1208-H 8"	203.2	M12	30	84	12
XH1209-H 10"	254	M12	30	98	15
XH1210-H 12"	304.8	M12	30	116	18
XH1211-H 15"	381	M12	30	140	20






Humpbacked Cleats 驼型索栓

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH1212 6"	152.4	15	26	45	M6*10
XH1213 8"	203.2	20	35	59	M8*16
XH1214 10"	254			80	M10*25










Cleat 重扁索栓

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHHS008 12"	304	35	92	115	M16*80






Cleat 异形索栓

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH1243	200	23	48	M8






Cleat S形索栓

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHB-2 10"	260	67	114	M12
XHB-1 12"	313	85	132	M12






Cleat 底板式索栓

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0012K 4"	101.6				
XH0012L 5"	127				
XH0013K 6"	149	21.4	29.5	44.5	Φ4.5
XH0013 8"	198.6	25.4	35.1	55	Φ7
XH0013A 10"	250		40	64	Φ10.5






Oval Tube Cleat 椭圆管式索栓

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0533	207	52.3	66	20	M8

Flash Cleat 提拉索栓


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHHT1610	150	54	Φ8.2	Φ 4.1	44
XHHT1611	214	75	Φ16.6	Φ 8.5	63.8





Oval Hawse Pipe 导缆孔


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0045	139.7	37.5	27	Φ5.5
XH0045A	239	84.5	31	Φ9.1





Oval Hawse Pipe 导缆孔


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0045B	190	67.32	42.4	Φ8





Oval Hawse Pipe 导缆孔


Art.No.	A(mm)	B(mm)	C(mm)
XH1101	338.7	105	200






Oval Hawse Pipe With Cleats 把式导缆孔

Art.No.	A(mm)	B(mm)	C(mm)
XH1102	736.59	201.6	215.9










Hawse Pipe 导缆孔

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHDSJ	190	200	130	355






Hawse Pipe 导缆孔

Art.No.	A(mm)	B(mm)	C(mm)
XHDSK	190	145	130






Hawse Pipe 导缆孔

Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
XH4840	214	152	31	65	33	M8






Hawse Pipe 导缆孔

Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHA-3040	244	138	21	6	13






Hawse Pipe 导缆孔

Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH79633	148	168	37	6	12

www.xinghuicasting.com E-mail:sales@xinghuicasting.com

Hawse Pipe 导缆孔


Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
XH260325	240	150	32	Ø10	32	18





Hawse Pipe 导缆孔


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHDSK-3	360*260	257	157	65.5	6.5





Bow Chocks 提环


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0008A	152.4	63.5	38.1	64	6





Cleat 小吊艇羊角


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH305PH-210	99	79	30.4	M16*20	Φ11






Cleat 吊艇羊角

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E（mm）
XH305PH-211-2	200	M24	120	60	Φ10.5









Hoen Bollard 铁板凳

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0501A 6"	152	60	62	45	M10
XH0502A 8"	203	70	77	57	M10
XH0503A 10"	255	80	91	103	M16
XH0504A 12"	310	90	109	130	M18






Straight Chorcks 导缆器

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHM60182-211-001	170	32	43	Φ10.2






Bow Chocks 斜平导缆器

Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH289010P	251	57	38	35	Ø10
XH289010S	251	57	38	35	Ø10






Bow Chocks 斜平导缆器

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0012A 4-3/4"	121	19	23.5	Φ5.5*2	14
XH0012B 6"	152.4	23.8	26	Φ5.5*2	32






Skene Bow Chocks 斜平导缆器

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0011B 6"	152.4	34	124.6	20	Φ5.5
XH0011C 8"	203.2	38	164.4	29	Φ5.5
XH0011D 10"	254	47.6	207	35	Φ8.2


Skene Bow Chocks 斜尖导缆器

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0010A 4-1/2"	114.3	19	30	Φ5.3*2	85
XH0011A 6"	147.6	27	38	Φ6.8*2	102





Straight Chocks 直导缆器

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0014A 4-1/2"	102	20.00	27	23	Φ5.5
XH0014B 6"	152.4	22.2	32	28	Φ5.5
XHCY-17 5"	126.5	21	27	35.5	Φ5.5
XH0014C 8"	203.2	12.7	38	41	Φ5.5
XH0014D 10"	254	44.45	40	42.5	Φ8.5





Chocks 滑轮式导缆器

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0031	230	45	67	35	36





Chocks 滑轮式导缆器

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH1231	200	41	57	35	43
XH1232	250	45	80	49	44





Chocks 异型导缆器

Art.No	A(mm	B(mm)
XHDB-003	180	80





Cross Bollard Single 单十字缆桩

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH32122	200	120	Φ75	Φ12	169
XH1151D	165	165	Φ76	Φ12	178






Cross Bollard 十字缆桩

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHRIB700-IB	300	200	160	160






Cross Bollard Single 单十字缆桩

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH1150	135	135	Φ50	Φ12	181
XH1151A	120	120	Φ51	Φ12	166
XH1151B	120	120	Φ51	Φ12	166






Cross Bollard Single 单十字缆桩

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH1151	63	63	83	31	83






Cross Bollard Double 双十字缆桩

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH-947001	180	95	65	Φ51






Cross Bollard Double 双十字缆桩

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH947002	400	180	120	Φ51

Cross Bollard Double 双十字缆桩


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH1152	146	86	63	Φ31	182





Cross Bollard Single 单十字缆桩


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH32160	300	200	160	160





Cross Bollard Single 单十字缆桩


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH32120	122	97	122	Φ60.5	151
XH32150	150	120	152	Φ76	200
XH32121	350	270	280	Φ120	350





Cross Bollard With Base 单十字缆桩


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
XH32220	Φ38*1.5	98	90	Φ10	57*57*2.5	48
XH32221	Φ50*2.0	120	100	Φ12	72*72*2.5	55
XH32222	Φ60*2.0	160	115	Φ12	90*90*3.0	62
XH32223	Φ76*2.5	210	150	Φ14	110*110*3.0	85
XH32224	Φ89*2.5	250	160	Φ14	134*134*3.5	87
XH32225	Φ102*2.5	280	180	Φ16	148*148*3.5	98





Cross Bollard 单十字缆桩

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	F(mm)
XH32230	Φ38*1.5	98	90	Φ10	48
XH32231	Φ50*2.0	120	100	Φ12	55
XH32232	Φ60*2.0	160	115	Φ12	62
XH32233	Φ76*2.5	210	150	Φ14	85
XH32234	Φ89*2.5	250	160	Φ14	87
XH32235	Φ102*2.5	280	180	Φ16	98










Big Bollard 大系缆桩

Art.No.	A(mm)	B(mm)	C(mm)
XHT-115C-LZ	530	160	430






Cross Bollard 系缆桩

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHBC-63	86	97	61	14.5+0.3	Φ5.9






Cross Bollard 系缆桩

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHBC-63A	61	86	127.3	Φ5.9






Mast Bracket 旗杆座

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL32A	72.4	82.5	Φ25.4	Φ6.5	M5






Mast Bracket 旗杆座

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL32	95	75	81	29	Φ7

Mast Bracket 旗杆座


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0625	99.5	40.5	41.5	38.5	6





Mast Bracket 旗杆座


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0622	51	40	6	42.5	5.5





L–Base L型座


Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHN23	50	2	37	Φ8	Φ 5





Antenna Base 天线座


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(")
XH0909A	92.5	64	112.5	Φ8	1-14 UNS






Bow Roller 锚支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH02203	170	64	66	54	6










Bow Roller 锚支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH02212A	620	83	300	200
XH02212B	670	85	340	170






Bow Roller 锚支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH02212C	795	75	175	5.5






Bow Roller 锚支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
XH02204	240	59	98.5	8	77	9.5






Bow Roller 锚支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH02205	400	300	45	R16	Φ10






Bow Roller 锚支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH02213A	340	60	158	240	42

Bow Roller 锚支架


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	Load Weight
XH02202A	350	65	280	45+0.1	5-10Kg
XH02202B	490	70	340	62	15-20Kg
XH02202C	490	80	300	62	20-30Kg





Bow Roller 锚支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH02201	300	53	98	45





Bow Roller 锚支架


Art. No.	A(mm)	B (mm)	C(mm)	D(mm)
XH02212D-FED	720	60	6	Φ10





Stanchion 支架


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH2056 1-1/4"	76	32.48	51	13	Φ31.75
XH2057 1-1/2"	76	38.40	53	13	Φ38.1






Stanchion Base 底座

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH2058	76	32.48	50.75	4	Φ31.75
XH2059	76	38.40	52.00	4	Φ38.1










Pipe Base 栏杆座

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH1503 1"	90	56	Φ26	60	6






Pipe Base 栏杆座

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
XH1422A 1"	26	28.5	56.4	44.4	90
XH1421A 1"	26	50	70	44.4	60
XH1421B 1-1/4"	31	50	40	47	60
XH1422B 1 1/4"	31.8	80	80	48.3	90






Pipe Base 栏杆座

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH1423A1"45°	76.5	Φ30	34.5	61	M8
XH1423B1-1/4"45°	76	Φ31	35	61	M8






Pipe Base 栏杆座

Art.No.	A(mm)	B(mm)	C(mm)	D(°)
XH1401 1-1/4"	Φ54	Φ33	70	60
XH1402 1-1/4"	Φ52	Φ33	80	90
XH1403 1-1/4"	Φ58	Φ33	60	75
XH1401A	Φ63.7	Φ38	77	60
XH1402A	Φ59.2	Φ38	77	90
XH1402B	Φ55	Φ32	80	90
XH1405	Φ53	Φ34	81	90






Pipe Base 栏杆座

Art.No.	A(mm)	B(mm)	C(mm)	D(°)
XH1404 1-1/4"	Φ31.8	Φ33	Φ68	45

Pipe Base 栏杆座


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH1501	130	69	40	31.2





Round Base 管座


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0207A 7/8"	66.7	22.2	45	Φ5.5	Φ11.7
XH0208A 1"	69.7	25.4	42	Φ6.8	Φ11.7






Round Base 管座


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	Degree
XH0208B 1"	69.85	25.4	24	Φ7	90°





Round Base 圆长臂管座


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	Degree
XH0208C	74	30	44	Φ7	90°
XH0208D	84	40	42.5	Φ7	90°
XH0208E	74	32	44	Φ7.5	90°






Round Base 圆长臂管座

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
XH0202A 7/8"	66.7	22.2	37	Φ5.5	30
XH0202B 1"	73	25.4	36	Φ6.8	30
XH0203A 7/8"	66.7	22.2	47	Φ5.5	45
XH0203B 1"	73	25.4	38	Φ6.8	45
XH0205A 7/8"	66.7	22.2	39	Φ5.5	60
XH0206A 1"	69.9	25.4	46	Φ6.8	60










Rectangular Base 方长臂管座

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
XH0211B 7/8"	77	43.5	48	22.2	60
XH0212B 1"	82	47	51	25.4	60
XH0216B 1-1/4"	86	53.7	52	31.8	60






Rectangular Base 方长臂管座

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
XH0213B 7/8"	77	43.5	46	22.2	90
XH0214B 1"	82	47	44	25.4	90
XH0215B 1-1/4"	82	53	44	31.8	90






Rectangular Base 方长臂管座

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
XH0209A 7/8"	82	47	40	22.2	30
XH0209B 1"	82	47	50	25.4	30
XH0210A 7/8"	82	47	44.5	22.2	45
XH0210B 1"	82	47	44.5	25.4	45






Weldable Rectangular Base 方可焊管座

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
XH0256B 7/8"	78	44	22.2	Φ7	45
XH0257B 1"	78	44	25.4	Φ7	45
XH0258B 7/8"	78	44	22.2	Φ7	60
XH0259B 1"	78	44	25.4	Φ7	60
XH0260B 7/8"	78	44	22.2	Φ7	90
XH0261B 1"	78	44	25.4	Φ7	90

Weldable Round Base 圆可焊管座


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
XH0250A 7/8"	66	22.2	Φ5.5	Φ10	45
XH0251A 1"	79	25.4	Φ7	Φ12	45
XH0252A 7/8"	79	22.2	Φ5.5	Φ10	60
XH0253A 1"	79	25.4	Φ7	Φ12	60
XH0254A 7/8"	66	22.2	Φ5.5	Φ10	90
XH0255A 1"	79	25.4	Φ7	Φ12	90





Rectangular Base 方长臂管座


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
XH0209C	97.5	56	44.5	30	30





Insert 塞头


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH2118 1-1/2"	95	95	38.1	34.5	25





Insert 塞头


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH2128 1-1/2"	112	38.1	35.6	135	25
XH2129 2"	118	50.8	48	135	25






Stanchin Base 支座

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH2111 1-1/4"	75	72	31.75	29	3
XH2112 1-1/2	75	79	38.1	34.5	3










Stanchion Base 连接底座

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH2077 1-1/2"	77	31	76	5	6.5
XH2078 2"	87	43.2	89	6	7






Stanchion 中支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH2254 1-1/2"	76.5	50	99	38.1	13
XH2255 1-1/2"	76.5	50	170	38.1	13
XH2256 2"	76.5	65.2	100	50.8	13
XH2257 2"	76.5	65.2	170	50.8	13
XH2258 2"	76.5	65.2	237	50.8	13






Stanchion 头支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH2264 1-1/2"	76.5	50	99	38.1	13
XH2265 1-1/2"	76.5	50	170	38.1	13
XH2266 2"	76.5	65.2	100	50.8	13
XH2267 2"	76.5	65.2	170	50.8	13
XH2268 2"	76.5	65.2	237	50.8	13






Stanchion 头支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH2276 2"	76	68	99	50.8	13
XH2277 2"	76	68	180	50.8	13
XH2278 2"	76	68	237	50.8	13







Rope Support 导绳支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHBC-46	208	78	70	5	M20

Pipe Base 栏杆座


Art.No	A(mm)	B(mm)	C(mm)	D(mm)
XH1506	50	25.4	Ø4	M6





Pipe Base 栏杆座


Art.No	A(mm)	B(mm)	C(mm)	D(mm)
XH1504	75	Φ25.4	Φ6	M6





Pipe Base 栏杆座


Art. No.	A(mm)	B(mm)	C(mm)	D(°)
XH1507	53	115	22.2	M6






Pipe Base 栏杆座

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(°)
XH1505	66.5	55	25.5	M6	Φ5	80










Pipe Base 栏杆座

Art. No.	A(mm)	B(mm)	C(mm)	D(°)
XHT-WLG	60	M12	Φ22.2	M6
XHQES-WLG	73	M8	Φ22.2	M6






Mast Bracket 旗杆座

Art. No.	A(mm)	B(mm)	C(mm)	D(°)	E(mm)
XH5980	70	Φ5.2	Φ26	80	Φ4






Round Base 管座

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH5980A	62.5	Φ32	Φ25.6	Φ4.8






Round Base 圆管座

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH2185 1-1/2"	Φ76.5	38.1	26	Φ5.5
XH2186 2"	Φ101	50.8	30	Φ6.5
XH2187 2-1/2"	Φ128	63.5	38	Φ6.5
XH2188 3"	Φ151.5	76.2	44	Φ6.5






Round Base 圆管座

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH2093 1"	75	25.4	3	Φ8
XH2094 1-1/4"	75	31.8	3	Φ6.5
XH2095 1-1/2"	75	38.1	3	Φ5

Mast Bracket 旗杆座


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
XHFED-4	106	Φ41.5	Φ34.5	Φ10	60





Rectangular Base 管座


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH2175 1-1/2"	75.5	56.5	26	38.1
XH2176 2"	100	69	30	50.8
XH2177 2-1/2"	127	85	38	63.5





Tube Connection 快速连接管座


Art. No.	A(mm)	B(mm)	C(mm)
XH2243 1"	66	37	25.4
XH2244 1-1/4"	76	42	31.8
XH2245 1-1/2"	83	45	38.1
XH2246 2"	102	52	50.8





Stanchion 支架


Art. No.	A(mm)	B(mm)	C(mm)
XH2061 R1-1/2"	Φ38.1 (1-1/2")	87	R38.1
XH2062 R2"	Φ38.1 (1-1/2")	83	R50.8
XH2063 R2"	Φ50.8 (2")	117	R50.8






Stanchion 支架

Art. No.	A(mm)	B(mm)	C(mm)
XH2051 R1-1/2"	Φ38.1	75	R38.1
XH2052 R2"	Φ38.1	70	R50.8
XH2053 R2"	Φ50.8	97.5	R50.8










Stanchion 支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH2221	38.1(R1-1/2")	48	25	35.4(1-1/2")
XH2222	50.8(R2")	40	25	35.4(1-1/2")
XH2223	50.8(R2")	54	26	47.8(2")
XH2224	63.5(R2-1/2")	48	26	47.8(2")






Stanchion 支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH34210	55	Φ35	Φ22	M8
XH34212	64	Φ35	Φ25.4	M8

through hole（通孔）






Stanchion 支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH34214	55	Φ35	Φ22	M8
XH34216	64	Φ35	Φ25.4	M8

blind hole（盲孔）






Special Top Slide 特殊滑套

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL0406B 1"	25.4	73	31.5	34






Round Base 管座

Art.No.	A(mm)	B(mm)	C(mm)
XH2083 1"	76	25.4	13
XH2084 1-1/4"	76	31.8	13
XH2085 1-1/2"	77	38.1	13
XH2086 2"	77	50.8	13

Stanchion 支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH2011 * R1-1/2"	25	34	12	38.1
XH2012 * R2"	25	34	12	50.8
XH2013 # R1-1/2"	25	34	12	38.1
XH2014 # R2"	25	34	12	50.8
XH2021 * R1-1/2"	25	37	16	38.1
XH2022 * R2"	25	37	16	50.8
XH2023 # R1-1/2"	25	37	16	38.1
XH2024 # R2"	25	37	16	50.8

* through hole（通孔） # blind hole（盲孔）






Stanchion 支架

Art.No.	A(mm)	B(mm)	C(mm)
XH2015 *	25	30	12
XH2016 #	25	30	12
XH2025 *	25	34	16
XH2026 #	25	34	16

* through hole（通孔） # blind hole（盲孔）






Stanchion 支架


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH2031 * R1-1/2"	34	20	44	38.1
XH2032 * R2"	34	20	44	50.8
XH2033 # R1-1/2"	34	20	44	38.1
XH2034 # R2"	34	20	44	50.8
XH2041 * R1-1/2"	39	26	49	38.1
XH2042 * R2"	39	26	49	50.8
XH2043 # R1-1/2"	39	26	49	38.1
XH2044 # R2"	39	26	49	50.8

* through hole（通孔） # blind hole（盲孔）










Stanchion 支架

Art.No.	A(mm)	B(mm)	C(mm)
XH2035 *	34	20	39
XH2036 #	34	20	39
XH2045 *	39	26	44
XH2046 #	39	26	44
XH2037	38		
XH2038	38		

* through hole（通孔） # blind hole（盲孔）






Insert 塞头

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH2205 1-1/2"	35.4	28	38.5	2.7
XH2206 2"	47.8	29	51.4	3.3






Stanchion 支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH2071	45	20	54	25.4(1")	38.4(R1-1/2")
XH2071A				1-1/2"	1-1/2"
XH2072	45	20	54	25.4(1")	50.8(2")
XH2073	64	26.5	71	38.4(1-1/2")	50.8(2")
XH2074	81	28.5	94	50.8(2")	50.8(2")






Tube Connection 连接管

Art.No.	A(mm)	B(mm)	C(mm)
XH2215 1-1/2"	35.4	53	2.6
XH2216 2"	47.8	53	3
XH2217 2-1/2"	60.5	67.5	4

Insert 塞头


Art.No.	A(mm)	B(mm)	C(mm)
XH2195 1-1/2"	35.4	43	24
XH2196 2"	47.8	57	25.4





Tees 90° 三通


Art.No.	A(mm)	B(mm)	C(mm)	D(°)
XH0236A 7/8"	22.2	52	52	90
XH0237A 1"	25.4	55	55	90
XH0237B 1-1/4"	31.75	76	83	90





Tees 90° 三通


Art.No.	A(mm)	B(mm)	C(mm)	D(°)
XH0237C	30	62	59	90
XH0237D	40	82	77	90





Tees 60° (Universal) 三通


Art.No.	A(mm)	B(mm)	C(mm)	D(°)
XH0230A 7/8"	22.2	48	57	60
XH0231A 1"	25.4	52	60	60
XH0231B 1-1/4"	31.75	79	79	60






Tees 60° 三通

Art.No.	A(mm)	B(mm)	C(mm)	D(°)
XH0234A 7/8"	22.2	48	57	60
XH0235A 1"	25.4	53	60	60










Cross 四通

Art.No.	A(mm)	B(mm)	C(mm)	D(°)
XH0041 7/8"	22.2	62	62	90
XH0042 1"	25.4	71	71	90





Corner Fitting Tees 三通

Art.No.	A(mm)	B(mm)	C(mm)	D(°)
XH0239A 7/8"	22.2	40	40	90
XH0239B 1"	25.4	50	50	90






Elbow & Anchor Eye 弯头

Art.No.	A(mm)	B(mm)	C(mm)
XH0238A7/8"	22.2	60	60






Tees 60° 三通

Art.No.	A(mm)	B(mm)	C(mm)	D(°)
XH0232A 7/8"	22.2	48	57	60
XH0233A 1"	25.4	53	60	60






Elbow 90° 弯头

Art.No.	A(mm)	B(mm)	C(mm)	D(°)
XH0240A 7/8"	22.2	50	50	90
XH0241A 1"	25.4	51	51	90
XH0241B	30	58.5	58.5	90

Elbow Forms 弯头


Art.No.	A(mm)	B(mm)	C(mm)	D(°)
XH0243A 7/8"	22.2	62	62	120
XH0243D 1"	25.4			125
XH0242B 1"	25.4	66	66	110






Elbow 弯头

Art.No.	A(mm)	B(mm)	C(mm)	D(°)	E(mm)
XH2129	181	135	Φ56	140	Φ65





Elbow Forms 弯头


Art.No.	A(mm)	B(mm)	C(mm)	D(°)
XH2103 1"	110	73	Φ22.2	90
XH2104 1-1/4"	120	83	Φ28.8	90
XH2105 1-1/2"	123	79	Φ35.4	90
XH2106 2"	127	62	Φ47.8	90
XH2107 2-1/2"	145	64	Φ60.1	90





Elbow 弯头


Art.No.	A(mm)	B(°)	C(mm)	D(mm)
XH2124A1-1/4"135°	105	135	Φ28.9	25.4
XH2124A1-1/2"135°	110	135	Φ35.4	25.4





Elbow Forms 弯头

Art.No.	A(mm)	B(mm)	C(mm)	D(°)
XH2125 1-1/2"	69	69	35.4	135
XH2126 2"	69	69	47.8	135










Tees 三通

Art.No.	A(mm)	B(mm)
XH2145 1-1/2"	75	35.4
XH2146 2"	82	47.8





Elbow Forms 弯头

Art.No.	A(mm)	B(mm)	C(mm)	D(°)
XH2115 1-1/2"	75	75	35.4	90
XH2116 2"	81.5	81.5	47.8	90






Tees 三通

Art.No.	A(mm)	B(mm)	C(mm)
XH2135 1-1/2"	76	110	35.4
XH2136 2"	82	116	47.8






Elbow 弯头

Art.No.	A(mm)	B(°)	C(mm)	D(mm)
XH2104A 1-1/4" 105°	110	105	Φ29.1	15
XH2104B 1-1/4" 118°	92	118	Φ29.1	15
XH2107A 2-1/2" 120°	222.5	120	Φ59	30






Quick Connection 快速连接管

Art.No.	A(mm)	B(mm)	C(mm)
XH2004 1-1/2"	74	74	38.1
XH2005 2"	93	93	50.8

Cross 四通

Art.No.	A(mm)	B(mm)	C(mm)
XH2155 1-1/2"	76	111	35.4
XH2156 2"	83	117	47.8





Cross 四通

Art.No.	A(mm)	B(mm)	C(mm)
XH2165 1-1/2"	110	110	35.4
XH2166 2"	118	118	47.8








Table Fittings 咖啡桌配件


Art.No.	A(mm)	B(mm)	C(mm)
XHHS004 1"	47.5	31.5	25.4
XHHS005 1-1/8"	48	38.5	28.58





L-Base L型座

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHRF130407-2	82	82	25	Ø5.5	Ø21






Top Cap 滑帽


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0400B 3/4"	19	58	6.5	1/4"-28	7
XH0401A 7/8"	22.2	58	6.8	1/4"-28	7
XH0402A 1"	25.4	58	8	1/4"-28	7
XH0402A-1 1"	25.4	57	7	1/4"-28	7
XH0402C 1" *	30	64	10	1/4"-28	9

* heavy










Top Cap 滑帽

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0402B 1"	25.4	58	Φ8	1/4"-28	10






Top Cap 滑帽

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0403A 1-1/4 "	66	Φ31.8	1/4-28	Φ8.2	6.3






Top Cap 滑帽

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL0401A 7/8"	22.2	59	7	1/4"-28	6.5
XHL0402A 1"	25.4	59	7	1/4"-28	6.5






Eye End 特殊滑帽

Art.No.	A(mm)	B(mm)	C(mm)
XHL-17	48	21.5	18.5


Top Cap 滑帽

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0245A 1"	58	28	Φ25.4	1/4"-28	Φ10




Top Slides 滑套

Art.No.	A(mm)	B(mm)	C(mm)	D
XHL-75	49.5	32.5	27.6	7/8"





Bracket 底座

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL-78	59.7	28.5	30.9	Φ5	Φ5.5





Top Cap 球滑帽

Art.No.	A(mm)	B(mm)	C(mm)	D
XHL81 7/8"	62.5	Φ27	Φ22.3	1/4"-28
XHL81A 1"	62.5	Φ30.5	Φ25.4	1/4"-28





Top Cap 球滑帽

Art.No.	A(mm)	B(mm)	C(mm)	D
XHL82 7/8"	22.2	14	27	1/4-28






Heavy Duty Top Slide 重型滑套

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E
XH0408A 1"	25.4	57	29.5	11	5/16"-18






Hand Rail Fitting 滑套

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0451A	19.8	19.4	17	8.5	12.7






Top Slides 滑套

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E
XHL0405A 7/8"	22.2	60	30	7.5	1/4"-20
XHL0406A 1"	25.4	62	31	8	1/4"-20
XHL0407A 1-1/4"	31.75	62	31	8	1/4"-20






Top Slides 滑套

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E
XH0400A 3/4"	19	22.5	44	1/4"-20	6.5
XH0405A 7/8"	22.2	28	51	1/4"-20	8
XH0406A 1"	25.4	28.5	54	1/4"-20	8
XH0407A 1-1/4"	31.75	26.5	66	1/4"-20	8






Top Slides 管夹

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E
XH0801A 7/8"	22.2	71	30	1/4"-20	1/4"-28
XH0801B 1"	25.4	74.5	31	1/4"-20	1/4"-28
XH0801C 1-1/4"	31.75	84	32	1/4"-20	1/4"-28
XH0801D	30				

Top Slides 管夹


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E
XHL-16A 7/8"	22.2	57	27	1/4"-20	7.3
XHL-16B 1"	25.4	70.5	28	1/4"-20	8.5
XHL-16C 1-1/4"	31.75	78	28.5	1/4"-20	6
XHL-16D 3/4"	19	49.8	23.4	1/4"-20	7





Top Slides 扳手管夹


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E
XH0802A 7/8"	22.2	59	22	M4	7
XH0802B 1"	25.4	67	24.5	M5	7
XH0803C 1-1/4"	31.75	74.5	25	M5	7





Top Slides 管夹


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E
XHT130407	54	30.4	23.5	17.5	M5





Top Slides 管夹


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E
XHMB130407-2A/B	82	50	25	20	M6*20
XHRF130407-3A/B	57.5	25	25	8	M6*20






Tube Connection 连接管

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E
XH0420	73	70	23.45	52	48










Connection 连接管

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
XHBC-17 1"	32	38	25.4	38	180






Connection 连接管

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0201S	100	20	Φ21.8	Φ25.4






Connection 连接管

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHT-17	86	30.5	M6	Φ5.5






Top Cop 管夹

Art.No.	A(mm)	B(mm)
XH1811	22	135
XH1812	25	135
XH1813	30	144






Deck Plate 圆盘

Art.No.	A(mm)	B(mm)	C(mm)
XH0063A 3"	76.2	65	Φ8
XH0063B 4"	101.6	90	Φ5.7
XH0063C 5"	127	110	Φ5.7

Deck Plate 圆盘


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0064A 3"	Φ76.2	37	13	Φ93	Φ8
XH0064B 4"	Φ140.6	41	17	Φ105.2	Φ10
XH0064C 5"	Φ127.0	35	15	Φ107.2	Φ8





Hasp 搭扣


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0701A	50	111	49.3	39.96	Φ5





Hasp 搭扣


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0702A	98	27	27	Φ4.5





Hasp 搭扣


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
XH0701B	94	38	38	3	Φ5.8	Φ4.5





Hasp 搭扣


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0703A	78	21.5	13.4	Φ5






Hasp 搭扣

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0701C	110	37	33	Φ5.4










Water Ski Tow 滑水圈

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH1960	100	Φ62	44	M10*60.5
XH1961	121	Φ75.5	64	M10*80






Rail End (end-in) 栏杆支座

Art.No.	A(mm)	B(mm)	C(mm)
XH0201A 7/8"	109	19.05	Φ5.5*2






Rail End (end-in) 栏杆支座

Art.No.	A(mm)	B(mm)	C(mm)
XH0200A 7/8"	130	22.22	Φ5.5*2






Rail End (end-in) 栏杆支座

Art.No.	A(mm)	B(mm)	C(mm)
XH0200B 7/8"	170	49	23.8
XH0200C 1"	170	50	25.8






Rail End (end - in) 栏杆支座

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0201B	180	61	Φ21.5	M6	M5

Bullet End Plug 子弹头


Art.No.	A(mm)	B(mm)
XH0227A 7/8"	38	20






Deck Hinge Angle Base 销式斜山型座


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0409D	52.4	17.46	34	Φ5.5*2	8





Deck Hinge 90° Concave Base 栓式正山型座


Art.No.	A(mm)	B(mm)	C(mm)	D	E(mm)
XH0609A 7/8"	57.15	22.22	38.5	1/4-20	5.5*2
XH0611A 1"	57.15	25.4		1/4-20	
XH0609B 7/8"	57.15	22.22	38.5	6*40mm	5.5*2
XH0611B 1"	57.15	25.4		6*40mm	





Deck Hinge 90° 销式正山型座


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0409B	52.38	17.46	37	Φ6*40	8






Rail Hinge 山型座

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0035A with bolt	76.2	40.64	32（1-1/4"）	Φ6
XH0035B with pin	76.2	40.64	32（1-1/4"）	Φ6










Deck Hinge 90°　栓式正山型座

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0409A	52.4	17.46	36.7	1/4"-20	8






Deck Hinge Angle Base　栓式斜山型座

Art.No.	A(mm)	B(mm)	C(mm)	D	E(mm)
XH0409C	52.38	17.46	34	1/4" - 20	Φ5.5






Heavy Duty Deck Hinge 90°　重山型座


Art.No.	A(mm)	B(mm)	C(mm)	D	E(mm)
XH0409E	52.38	17.46	10.4	5/16" - 18	Φ7.2





Deck Hinge　山型座

Art.No.	A(mm)	B(mm)	C(mm)	D (mm)	E(mm)
XH0610A	94.3	52.6	48.5	10	27.3




Deck Hinge　山型座

Art.No.	A(mm)	B(mm)	C(mm)	D (mm)	E(mm)
XHT-PEM	59.5	19.5	34	47	160

Deck Hinge 山型座


Art.No.	A(mm)	B(mm)	C(mm)	D (mm)	E(mm)
XH0610B	61	80.6	44	5	10





Hinge 绞链


Art.No.	A(mm)	B(mm)	C(mm)	D (mm)	E(mm)
XH0670A	99.3	42	4.3	68.3	50





Special Top Fitting 异型滑套


Art.No.	A(mm)	B(mm)	C(mm)	D (mm)	E(mm)
XH0610C	99.3	28.8	15.3	10.5	11






Support 支架

Art.No.	A(mm)	B(mm)	C(mm)	D (mm)	E(mm)
XH14305	52.2	20.2	32	8.6	5.7










Rope Clip 卡扣

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH305XLT-09-700B-03L	41.7	30	6	41.8
XH305XLT-09-700B-03R	41.7	30	6	41.8






Padeyes 连接器

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHXJ01	88	19	62.5	26	6
XHXJ02	72	14	52	21	4






Stanchion Angle 转向支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0626	100	55.5	127	Φ5	6±0.5
XH0626A	100	55.5	127	Φ6	16






Connection 连接弯管

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0048	35.56	100	155	Φ5.5
XHZD	39.5	129	146.6	Φ5.5

Stanchion(Front)60° 船前支架


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0220A 7/8〃	22.22	39	47.6	Φ5.5 * 2
XH0220B 1〃	25.4	41	57.15	Φ5.5 * 2





Stanchion(Center)60° 船中支架


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0221A 7/8〃	22.22	41	47.6	Φ5.5 * 2
XH0223A 1〃	25.4	41	57.15	Φ5.5 * 2





Stanchion(End)60° 船尾支架


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0222A 7/8〃	22.22	39	47.6	Φ5.5 * 2
XH0224A 1〃	25.4	41	57.15	Φ5.5 * 2





Stanchion(Center)60° 船中支架


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E
XH0225B 7/8〃	66	31	Φ22.4	Φ5.5	1/4 " -28
XH0224B 1〃	68.5	31	Φ26.1	Φ5.4	1/4 " -28






Stanchion(end)60° 船尾支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0225A 7/8〃	22.22	35	65	Φ5.5 * 2
XH0226A 1〃	25.4	34	55.88	Φ5.5 * 2










Stanchion(end)90° 船尾支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHBD0226B 1〃	25.4	44	67	Φ5.0






Stanchion(Center) 90° 船中支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHBD0226A 1〃	68	60	25.4	5.5






Stanchion(End)90° 船尾支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHBD0245B 1〃	21.5	54	67	5.4






Hand Rail Fitting 支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0226B	54	35	31.5	21.8	60






Stanchion 支架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHZJ	58.2	68.4	28.2	22.4	6.6

Support 支架


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHRAY-2	132	36	20	9	6





Hinge Side Mounted 甲板铰链


Art.No.	A(mm)	B(mm)	C(mm)	D	E(mm)
XH0410A	50.8	22.22	16.5	1/4〃-20	Φ5.5 * 2





Deck Hinge Plate 甲板铰链


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0605B	74.61	47.6	32	Φ7 * 4





Removable Pin Hinge 合页


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH1870A	41.2(1-5/8")	41.2(1-5/8")	2	Φ4.5
XH1870B	50.8(2")	41.2(1-5/8")	2	Φ4.5
XH1870C	50.8(2")	50.8(2")	2	Φ5






Removable Pin Hinge 合页

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH1870D	63.5(2-1/2")	50.8(2")	2.5	Φ5
XH1870E	63.5(2-1/2")	63.5(2-1/2")	3	Φ5.5
XH1870F	76.2(3")	76.2(3")	3	Φ5.5











Fast Pin Butt Hinge 合页

Art.No.	A(mm)	B(mm)	C(mm)
XH0067	220	78	5






Fast Pin Butt Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH1871D	63.5(2-1/2")	50.8(2")	2.5	Φ5
XH1871E	63.5(2-1/2")	63.5(2-1/2")	3	Φ5
XH1871F	76.2(3")	41.2(1-5/8")	3	Φ5
XH1871G	76.2(3")	50.8(2")	3	Φ5.5
XH1871H	76.2(3")	76.2(3")	3	Φ5.5






Butt Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0601A	38.1((1-1/2")	38.1(1-1/2")	4.5	Φ5.5
XH0602A	50.8(2")	50.8(2")	4.5	Φ5.5






Butt Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0602B	52(2")	41.2(1-5/8")	4.5	Φ7






Butt Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0607A	74.6(3")	38.5(1-1/2")	5	Φ5.5

Door Hinge 合页


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0604A	76.2(3")	38.1(1-1/2")	4.5	Φ5.5	26.5
XH0604C3	76.2(3")	38.1(1-1/2")	4.5	Φ5.5	32





Door Hinge 合页


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0604C	76.2(3")	38.1(1-1/2")	50.5	Φ4.5	Φ5.5





Hinge 合页


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0605A	101.6(4〃)	38.1(1-1/2〃)	4.6	Φ5.5





Door Hinge 合页


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0606A	56.2(2-1/4〃)	38.1(1-1/2〃)	5	Φ5.5





Hinge 合页


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH8570A	112(4-1/2〃)	37.6 (1-1/2〃)	2	Φ5.7






Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH8570B	143.6(5-9/16")	37.6 (1-1/2")	2	Φ5.7










Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(°)
XH8571	53	115	22.2	M6






Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH85712110	43	37.8	2.2	Φ5.5	65






Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH8570C	81(3-1/4")	37.6(1-1/2")	3	Φ5.5






Hinge T型绞链

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0068	203.2	98	Φ5.2	Φ10	5.6






Strap Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHHS002	156(6")	28(1-1/8")	5	Φ5






Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHC8570B	156(6")	40(1-1/2")	3	Φ5.5


Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL-11	202	69	5	Φ10.5*3





Strap Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0603A	101.6(4")	25.4(1")	5	Φ5.5





Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL-13	122.5	50.3	2.85	Φ6





Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL-12	95(4")	75(3")	3.5	Φ6.7





Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0066	101.6(4")	101.6(4")	7	Φ6.5
XH0066A	100	75	3.5	Φ6.5
XHT-0127	127.5	127.5	5	Φ6.5





Hinge 绞链

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH1890	68	25	45	1/4"-20	6.5






Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL30-1044A	75	38	3 .5	Φ5.5






Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0607A-2	39 (1-1/2")	39 (1-1/2")	5	Φ5






Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0323-4001	144.6	64	4	99	7






Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHSB-927-1A/1B	112.4	40	3.2	Φ8.5	Φ6.2
XHSB-927-2A/1B	132.5	40	3.2	Φ8.5	Φ6.2






Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHSB-926-SC-10A/10C	153.5	39.8	3	Φ8.2	Φ6.8






Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHSB-926-SC-10B	121	39.5	3	31	Φ6.2

Hinge 合页


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH305XLT-09-600-04	40	39.7	6.1	9	23.3





Hinge 绞链


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHJL-2	27	64	3.5	49	M6





Hinge 丝杆铰链


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH86583	190	64	150	6





Hinge 丝杆铰链


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHHS003	96(4")	75.5(3")	4.5	6.5






Connection 不锈钢连接桥

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHDM-LS	48	14.5	9	6










Hinge 铰链

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL-129	65	12	2.5	Φ4






Hinge 圆铰链

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH1900	Φ58	R28	4.6	53	Φ4.3






Hinge 圆铰链

Art. No.	A(mm)	B(mm)
XH1901	43	4






Hinge 圆铰链

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL30-1045	Φ38.1	20	20	3	8-32






Hinge 合页

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHHS001	80	63	3	4

Hinge 合页


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH12DYT-T02	205	34	112	5.5





Hinge 合页


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH12DYT-T01	152	82	48	5.5





Hinge 合页


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH305-T01	156	59	57.5	Φ5.5





Hinge 合页


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0023	63.5 (2-1/2")	63.5 (2-1/2")	5	Φ5.5





Hinge 合页


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0065	50.8 (2")	50.8 (2")	5	Φ6.5






Hinge 合页

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHHN1534	147.5	45	5.5	Φ5.6










Hasp 搭扣

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL-71	100	42.5	20	Φ6	Φ4






Hasp 搭扣

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL-71A	50	30	3	16.5






Hinge 合页

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL-72	90	25.5	5	23.4	9.3






Hinge 合页

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL-70	64.7	25	2	Φ6	Φ3.5






Hinge 铰链

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL-15A	96.8	37.2	2.9	38.5






Hinge 铰链

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH8574	113	40.6	34.5	6	8

Hinge 铰链


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHCL-208	75	70	47	8	Φ6.5





Hinge 铰链


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHID001	100	40	6	3.1





Hinge 可拆卸铰链


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH1873G	75	50	3	4.2





Lock 门插销


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0029	93.5	39	3.4	Φ5






Latch 插销

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL-127	251	33	2.5	Φ4










Lock 锁扣

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0001	112.71	30.6	4	29






Hinge 桌面铰链

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH1872	99.95	61.2	19.05	M6






Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E (mm)
XH8550A	82	34	3	7	13.6






Ladder Paddeyes 门鼻

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E (mm)
XHN205	80	43	5	54	6.2






Hinge 铰链

Art.No	A(mm)	B(mm)	C(mm)	D(mm)
XHFED-10	198	169	9	Ø10.2

www.xinghuicasting.com E-mail:sales@xinghuicasting.com

Hinge 铰链

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH8120655	76	40	2	Φ6.4





Hinge 铰链

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH8120658	75	75	2	Φ7.4





Hinge 铰链

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0606L	56	30	22.5	5	Φ5.4





Hinge 铰链

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH9120651	40	40	2	Φ6.4





Hinge 铰链

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL30-1044	74(3 ")	38.5(1-1/2 ")	3	9.5
XHL30-1044A	74(3 ")	38.5(1-1/2 ")	3	6.5






Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL-15	127(5")	37(1-1/2")	2	Φ5






Cable Fixation U型压块

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHBOA00018	94	50.5	35	Φ5






Cable Fixation Left and Right 左右压块

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHBOA00020L	43	26.5	90	35	Φ5.2
XHBOA00020R	43	26.5	90	35	Φ5.2






Hinge 合页

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH7138-307	84	70	8.5	Φ10.2

Hinge 铰链


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL08	90.6	30	33.5	Φ5.2	7.8





Hinge 铰链


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH1804	81.5	32.2	34	Φ5.2	7





Hinge 铰链


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL07	90.6	30	33.5	Φ5.2	29*10





限位件


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHYM-XW-07L	61.5	1"	40	24
XHYM-XW-07R	61.5	1"	40	24






Hatch Hinge 重铰链

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0608A	76.2(3")	63.5(2-1/2")	33.5	Φ5.5*7










Hatch Hinge 重铰链

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0608B	83.82(3-1/4")	76.2(3")	32	Φ5.5*8
XH0608C	76.4	40	67	Φ5.5






Hinge 开口单铰链

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH8575	99.5	37.7	Φ4.5	11.6





Hinge 铰链

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0623A	163	57	6	52	6
XH0824	177	45	6	53	6





Hinge 铰链

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0624A	163	57	6	52	6
XH0824A	177	60	6	53	6






Hinge 铰链

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0624B	117	61.5	85	Φ40	Φ8
XH0825	129	68.5	103	Φ40	Φ8

Connect Base 连接件底座


Art. No.	A(mm)	B(mm)	C(mm)
XHL03	153	39	38





Connect Base 连接件底座


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL02	101.5	40.2	35.6	5





Lift Ring 地板扣


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0071	48	38	Φ4.5	3





Lift Ring 地板扣


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0071A	62(1-1/2")	44(1-3/4")	Φ4.5	5
XH0072A	38	48	Φ4.5	2.6






Lift Ring 地板扣

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0071B	44 (1-3/4")	38 (1-1/2")	Φ4.5	2










Lift Ring 地板扣

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0073	75	58	8	Φ4	Φ8.2






Lift Ring 地板扣

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0074	66	56	8.3	Φ4	Φ7






Lift Ring 地板扣

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHC0071C	65	55	2.5	4.5






Lift Ring 舱盖铰链

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0071D	76(3")	57.5(2-1/4")	3	5	6






Clamshell Vent 通风盖

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH3410	43.3	10.5	42.4	Φ3	0.7
XH3411	58	12.8	55.1	Φ4.1	0.8

Stanchion 支架


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHZJ-01 2"	108.5	50.8	50.8	6





Stanchion 支架


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH2233(1-1/2")	87.5	63.5	90	4.5	38.1
XH2234(2")	87.5	63.5	90	4.5	50.8





Stanchion 支架


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH2235	63	12	83	40	31.8





Stanchion 支架

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHHR0228	86.5	23	Φ7	62.3	62.4





Flexible Bracket 伸缩支撑

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHDZC	185	20	16	51	54.3







Table Bracket 折叠支撑

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
XH0710	304	167	152	80	90











Table Bracket 折叠支撑


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E (mm)
XH0711	300	158.3	157	79	22






Rader Bracket 雷达支架

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH3351	520	127	Φ51	177






Rader Bracket 雷达支架

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E (mm)
XH3350	300	136.65	336	Φ13	126.65






Nose Handle 鼻子把手

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHOLG026	183.99	116.46	21.77	156.22






Quick Joint 快速接头

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH3340A	97.6	Φ76.6	44	Φ10.5






Quick Joint 快速接头

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH3341A	92	36	16	18.5	M12

Couping Hook 连接钩


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E (mm)
XHL-89	53	38.5	2.5	Φ7.64	6





Hook 小钩子

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0619A	XH0619A	10.7	Φ8	8





Pad Eye Plate 固定夹


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL-86	92	15	3.1	Φ6.7	18.6





Fixed Collar 固定环

Art. No.	A(mm)	B(mm)	C	D(mm)
XHL-90	42	18.7	1"	32.4





Eye Plate 长板


Art. No.	A(mm)	B(mm)	C(mm)
XHL84	221	25.5	3.2






Double Eye Plate 双夹板

Art. No.	A(mm)	B(mm)	C(mm)
XHL-85	178.5	25.4	2.2










Hook 挂钩

Art. No.	A(mm)	B(mm)	C(mm)	D(°)
XHL-87	66	58	Φ6	30
XHL-88	96	73	Φ8	30






Hook 挂钩

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL-93	63	27.25	22	Φ4	Φ7.5






Hook 单挂钩

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL-92	41.1	50.6	18.4	Φ4






Pad Eye 骆驼背

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0615A	67.5	18.5	M4	Φ6.7






Pad Eye 骆驼背

Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0614B	52.2	26	21.5	Ø6	Ø5.2






Pad Eye 骆驼背

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0612A	48.5	13	14.5	Φ4	Φ5
XH0613A	48.5	13	20	Φ4	Φ5.5
XH0614A	48.5	13	14	Φ5	Φ4

Pad Eye 骆驼背


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
XH0612A-1	39.7	8.8	14.7	4.5	4.5	31.8





Pad Eye 骆驼背


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH-2	97	29.4	23.7	6	5





Pad Eye 骆驼背


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0612B	44	15	16	5.7	6
XH0612C	35	12.5	14.5	5	4.5
XH0612D	34	11.5	14	4	4
XH0613E	33	10.5	14	4	4.5





Pad Eye 骆驼背


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHGG-5	40	13	20	4






Trident Tube Support 三岔管支架


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHMPC1034	113.5	84.45	34	Φ25






Ended Bracket 尾托架

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHM10D2	122.5	70	36	36	Φ19










Bracket 托架

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHMPC1014	124	70	96	60






Cleats Inox For Ropes 3/6mm 夹绳器

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH1221	82	18	24	5.5*2
XH1224	82	18	24	5.5*2
XHXK70	70	17	19	5.5*2

注：1224底面带弧 Concare base






Cleats Inox For Ropes 3/6mm 夹绳器

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH1223	47.7	14.5	17	5.5*2






Cleats Inox For Ropes 3/6mm 夹绳器

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH1222	54.5	17	19	5.5






Cleats Inox For Ropes 3/6mm 夹绳器

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHXK55	55	15	18	5.5*2






Cleats Inox For Ropes 夹绳器

Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHXK100	106	23.5	5	Ø6.8	10

Cleats Inox For Ropes 夹绳器


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL60	68	18.5	7	M5	15.5





Cleats Inox For Ropes 夹绳器


Art. No.	A(mm)	B(mm)	C(mm)
XHLXK	63	31	10
XHL33	46.5	23	6





Turning Lock Lift Handle 地板锁


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH2021SSA	89	76	88	1/2"-13





Cover Lock 地板锁


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH3208	Φ99.3	126	Φ5	M10





Turning Lock Lift Handle 地板锁


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH3201	66.67	79.37	111.12	12	5.3






Turning Lock Lift Handle 地板锁

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH3202	96	76	125	M12	5.3










Turning Lock Lift Handle 地板锁

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHHS006	78	66	107.5	88	Φ5






Turning Lock Lift Handle 锁体

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL - 34	60	82	6	M8






Turning Lock Lift Handle 锁体

Art. No.	A(mm)	B(mm)	C(mm)
XHL - 34 A	82	87	Φ60






Turning Lock Lift Handle 锁体

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH3210	Φ76	76	83	M8






Turning Lock Lift Handle 锁体

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL - 20	50	60.4	11	7.5






Turning Lock Lift Handle 锁体

Art. No.	A(mm)	B(mm)	C(mm)
XH3203	106	82	137.5

Turning Lock Lift Handle 地板锁


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH2021SS	89	76	84	1/2"-13





Turning Lock Lift Handle 锁体


Art. No.	A(mm)	B(mm)
XH3204	61.5	36





Turning Lock Lift Handle 锁体


Art. No.	A(mm)	B(mm)
XH3205	61.5	36





Turning Lock Lift Handle 锁体


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH3206	61	23	41	65





Turning Lock Lift Handle 锁体


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH3206A	72	Φ 60	66	M8






Cover Lock 地板锁

Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH3209	84.5	69.5	75	64	8










Turning Lock Lift Handle 锁体

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH3207	70	58.3	Φ62	5






Plug 船丝堵

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH73031	50.3	8.5	43.5	4.8	24






Fixed Collar 固定环夹

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHBC - 50A	40	20	25	45






Fixed Collar 固定环夹

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHBC - 50	40	Φ 20	27.5	12.5






Through Hull Outlets With Hose Connection 加长出水口

Art. No.	A(inch)	B(mm)	C(mm)	D(mm)	E(mm)	G(mm)
XH0103BL	3/4"	101	47	19.5	55	Φ23
XH0104BL	1"	102	55	26	55	Φ29
XH0106BL	1 - 1/2"	102	70.5	39	55	Φ43


Through Hull Outlets With Hose Connection 出水口

Art. No.	A(inch)	B(mm)	C(mm)	D(mm)	E(mm)	G(mm)
XH0101B	3/8"	57.5	36	7.5	25.5	Φ 12
XH0102B	1/2"	62	38.5	11.5	33	Φ 16
XH0103B	3/4"	73.2	47	17	42	Φ 23.5
XH0104B	1"	78	55.5	23	44	Φ29
XH0105B	1 - 1/4"	83	66	29	45	Φ 36
XH0106B	1 - 1/2"	85	70.5	33	46	Φ 43
XH0107B	2"	99.5	85	47	52	Φ 53.5




Through Hull Outlets 出水口

Art. No.	A(inch)	B(mm)	C(mm)	D(mm)	E(mm)
XH0101A	3/8"	58	35.3	11.8	52.5
XH0102A	1/2"	62	39.3	15.3	58
XH0103A	3/4"	73	49	19	62
XH0104A	1"	80	54	25	71
XH0105A	1 - 1/4"	83	63	34	76
XH0106A	1 - 1/2"	85	70	38	79
XH0107A	2"	101	84	50.8	95
XH0108A	2 - 1/2"				
XH0109A	3"	127	117	76	120




Intatke Strainers 过滤器

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0101C	3/8"	46.4	94	79
XH0102C	1/2"	48	99	90.4
XH0103C	3/4 "	57	106	104.5
XH0104C	1"	60	106.5	105
XH0105C	1 - 1/4"	64.4	103	117
XH0106C	1 -1/2"	70.5	113	132.5
XH0107C	2"	86	154	126
XH0108C	2 - 1/2"	112	156	200
XH0109C	3"	135	160	290








Through Hull Outlets With Hose Connection 出水口

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH72001	1/2"				
XH72002	3/4"	80	46	18	57
XH72003	1"	85.5	56	18	60
XH72004	1 - 1/8"	100.5	59.5	28	62
XH72005	1 - 1/4"				
XH72006	1 - 1/2"				






Through Hull Outlets With Hose Connection 出水口

Art. No.	A(inch)	B(mm)	C(mm)	D(mm)	E(mm)	G(mm)
XH4101A	1/2"	62	39	13	41	Φ16
XH4101B	3/4"	70	50	18.7	49	Φ23.5
XH4101C	1"	76	53.5	24.4	53	Φ29
XH4101D	1 - 1/4"	80	63	32.5	54	Φ36
XH4101E	1 - 1/2"	82	71.5	39	61	Φ43






Through Hull 排水阀

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH73043	54.3	49	24.6	M20*1.5*14	4






Deck Filler 加油口

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH99501 - PETROL	38.1 (1-1/2")	83	5.7	75
XH99601 - GAS	38.1(1 - 1/2")	83	5.7	75
XH99701-DIESEL	38.1(1 - 1/2")	83.5	5.7	75
XH99801-WATER	38.1(1 - 1/2")	83	5.7	75
XH99901-WASTE	38.1(1 - 1/2")	83	5.7	75
XH89901-DIESEL	50.8(2")	88	5.7	82
XH89801-GAS	50.8(2 ")	87	5.7	82
XH89601-WATER	50.8(2")	88	5.7	82
XH89902-DIESEL	63(2.5")	89	6	108

Deck Filler 加油口


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH799901-WASTE 2"	88	10	6	Φ50.8	97
XH799901-WASTE 1.5"	83	7	5	Φ45.5	80





Deck Filler 加油口


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHHSY145-PETROL 1.5"	74	78	38.1	5.8
XHHSY145-GAS 1.5"	74	78	38.1	5.8
XHHSY145-DIESEL 1.5"	74	78	38.1	5.8
XHHSY145-WATER 1.5"	74	78	38.1	5.8
XHHSY146-DIESEL 2"	82	88	50.8	5.7
XHHSY146-GAS 2"	82	88	50.8	5.7
XHHSY146-WATER 2"	82	88	50.8	5.7





Deck Filler 加油口


Art. No.	A(mm)	B(mm)	C(mm)	D	E(mm)	F(mm)
XH99602 - GAS	Φ74	Φ60	83.4	G1 1/4" - 11	Φ6	Φ38.1
XH99702 - DIESEL	Φ74	Φ60	83.4	G1 1/4" - 11	Φ6	Φ38.1
XH99802 - WATER	Φ74	Φ60	83.4	G1 1/4" - 11	Φ6	Φ38.1
XH99402 -FUEL	Φ74	Φ60	83.4	G1 1/4" - 11	Φ6	Φ38.1
XH99902 - WASTE	Φ74	Φ60	83.4	G1 1/4" - 11	Φ6	Φ38.1






Deck Filler 油箱口

Art. No.	A(mm)	B(mm)	C(mm)	D (mm)	E(mm)
XHUXT - 1"	73	80.5	38	4.5	24.5









Deck Filler 加油口

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH99703 1.5"	92	Φ87	Φ51	Φ40
XH99703 2"	92	Φ87	Φ51	Φ50






Deck Filler 加油口

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHUXT - 2" 2"	99	33	53	58	5






Tank Vent 漏水口

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHHS007 2"	87	87	50.8	5.5






Tank Vent 漏水口

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0627 1 - 1/4"	76	99	31.8	4






Tank Vent 漏水口

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0627W	76	60	Φ4	31.8






Tank Vent 漏水口

Art. No.	A (mm)	B(mm)	C(mm)	D(mm)
XHLSK - 1	63	16	35	6.6
XHLSK - 2	45.6	24.6	25.5	6.5

Tank Vent 带网漏水口


Art.No.	A(mm)	B(mm)	C(mm)
XHT-DL	81	60	38





Tank Vent 带网漏水口


Art.No.	A(mm)	B(mm)	C(mm)
XHT-DLW	75	72	32





Tank Vent 漏水口


Art. No.	A (mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH73103	36	62	21	27	29





Air Vent 油箱透气口


Art. No.	A (mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH73001	67	46	66	28	Φ16






Air Vent 油箱透气口

Art. No.	A (mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH73001A	66	68	M18*1.5	Φ16	Φ9










Air Vent 油箱透气口

Art. No.	A (mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH73002	66	68	M18*1.5	Φ16	Φ9






Air Vent 邮箱透气口

Art. No.	A (mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH73002A	84	25.4	M18*1.5	16	12






Air Vent 透气口

Art. No.	A(mm)	B(mm)	C(mm)	D
XH73003	104	83	62	G1"
XH73004	80	65.5	46	3/4"






Tank Vent 透气口


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHSMD	64.5	92	16	16	5






Barracuda final 杯架

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH1740 M8*80	Φ80	8	96	45	M8






Funnel 漏斗

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHCW-109	74.2	52	47	25.4

Marine Screw 螺丝


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHYB00 - 01	47	26.4	5.8	24.5	12





Black Nylon Head Screw 螺钉


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E
XHL - 58	36.5	28	13	17.5	1/4" - 20





Pump Base 泵体


Art. No.	A(mm)	B(mm)	C(mm)
XHQDLN4 - 30	250	140	147
XHQDLN8 - 8*10	280	150	175
XHQDLN16 - 60	300	165	175





Connection 接头


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH72033	3/4"	30	43	27	30
XH72034	1"	36	43	26	36
XH72035	1 - 1/4"	51	59	44	44
XH72036	1 - 1/4"	59	61	46	52.5






Connection 油箱接头

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0630	53.6	38.1(1- 1/2")	101	68









Cap 螺帽

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH40008	26	24	20	M8	10
XH40010	26	24	20	M10	10
XH40012	26	24	20	M12	10






Cup Bracket 茶杯座

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHBOA00019	43.3	68	88	68.2






Insert 塞头

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHCIMST	49	33	3	47.6






Handle 扶手

Art. No.	A(mm)	B(mm)	C(mm)
XHL - 101	71.5	113.5	12.5
XHL -101A	40	120	12






Rod Holders 鱼杆座

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH3304A	285	47	110	92.5

Rod Holders 鱼杆座


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
XH0051	270	50.8	112	89	60
XHBC - 64	270	50.8	112	87	60





Rod Holders 鱼杆座


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0050	88	53	140	42	Φ6.8





Rod Holders 万向旋转鱼杆座


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0052	55	220	340	50.8	54





Rod Holder 鱼杆座


Art. No.	A(mm)	B(mm)	C(mm)	D(°)
XH07740	330	101	32	145°





Rod Holders 旋转鱼杆座


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0052A	360	50.8	290	67	28.1






Rod Holders 鱼杆座

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH9984SL	265	117	Φ51	Φ41.2	Φ42










Rod Holders 鱼杆座

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
XHBC-192543	210	113	83	50.8	60






Rod Holders 鱼杆座

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
XHBC-192543 A	113.5	83.5	50.8	200	90






Tube Rod Holder Rack 插排鱼竿座

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0053	Φ45	197	528	490	197






Tube Rod Holder Rack 插排鱼竿座

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0054	Φ45	197	725	687	197






Boat Hook 停镐

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHYC-1	170	50	34	Φ4	Φ12
XHYC- 2	188	50	41	Φ6	Φ14.5

Handle 把手


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH1002	127	55	14	17.5	25





Handle 把手


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL - 91	119	25.5	Φ4	103.6





Handle 把手


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH1005A	160.3	16	22	5.5	147
XH1005B	195.5	18	25	5.5	176
XH1005C	134	14.2	28	4.5	114
XH1005D	96	10.5	19.6	4.5	79.5





Lift Handle 把手


Art. No.	A(mm)	B(mm)	C(mm)
XH1003	167	31.3	30






Lift Handle 把手

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH1004	148.5	34.5	48.5	105	10.4










Handle From Tube 把手

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHBC-26 8"	203.2	92	22	35	M8
XHBC-27 10"	254	92	22	35	M8
XHBC-28 12"	304.8	90	22	35	M8
XHBC-29 14"	355.6	90	22	35	M8
XHBC-33 20"	500	90	22	35	M8






Handle From Tube 把手

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0633 13"	335	82	25.4	54.5	M8






Handle Casted 把手

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0057 12"	304.8	280	6 M	25	16~35






Handle 把手

Art. No.	A(mm)	B(mm)	C(mm)
XH0065A	279	45	20
XH0065B	76.2	45	20






Wrench 扳手

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH2099-5	147	20.7	16	104	8.5






Handle Casted 把手

Art.No	A(mm)	B(mm)	C(mm)	D(mm)
XH262530	112	16.5	11	Ø7.8

Ball Catch 门碰


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHMP70MM	70	12.5	18	42.5	5.5
XHMP60MM	60	10	14.4	34	5
XHMP50MM	50	8.7	12.6	30	4
XHMP43MM	43	7.5	11	25	4





Ball Catch 门碰


Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL-124	Ø32.4	10.7	Ø12.5	Ø4	5





Stud Catch Hook 门碰钩


Art.No	A(mm)	B(mm)	C(mm)	D(mm)
XHL-119	51	Ø5	Ø4	Ø10.5





Stud Catch Hook 门碰钩


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHMPD	28	56	49.3	38






Prop 浆环

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
XH3331	137	M6	54.7	Φ5.7	Φ73	Φ61










Prop 浆叉

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH3333	146	58	16	81






Prop 浆叉

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
XH3332	150	57	13	5	26	70






Release pin with ball 钢珠销子

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHLSS	92	M16	48	Φ22.4






Folding pad eye 连接环

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL-50	46	45.2	41.5	12	6.3
XHL-50 A	64	62.5	57	11	6.2
XHL-50B	78	69.2	63.2	11	6.3





Folding pad eye 连接环

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL-50C	79	45	26.3	11	6.8

Step 支架


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL-40	146	95	52	5





Fasteners 螺丝


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHKJ - 007	26.8		21.7		M10
XHKJ - 008		28		25	M10





Bracket 支架

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL - 42	43	78	1/4 - 20	79.5





Bracket 支架

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL - 43	Φ76	85	Φ30.7	Φ7.5







Table 桌子


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0040	653	641	300	Φ8.5






Body For Light 灯罩

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL17 - D	170	105	10	64










Body For Light 灯罩

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E (mm)
XHL-44	160	111	16	68.5	119






Body For Light 灯罩

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH980907-20	90	37	Φ7.2	Φ3.8






Telescopic Ladder 伸缩梯

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH13002	600	275	280	120






Telescopic Ladder 伸缩梯

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH13003	875	280	275	123






Telescopic Ladder 伸缩梯

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH13004	1160	255	285	120

Step Ladder 一节梯


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
XH1721	330	210	Φ22	100	95



Stainless Steel And Carbon Steel Delta Anchor
不锈钢和碳钢三角锚

Art. No.	A(mm)	B (mm)	C(mm)	D(mm)	E(mm)
XHSJM5KG	350	340	265	230	8
XHSJM7KG	520	400	275	270	10
XHSJM8KG	530	420	280	275	10
XHSJM10KG	570	450	290	280	10
XHSJM15KG	630	480	340	335	12
XHSJM16KG	640	500	350	340	12
XHSJM20KG	610	510	355	350	14
XHSJM25KG	480	520	400	360	16
XHSJM40KG	520	650	520	450	16

Sinzes:Be Made as Your Request 可根据要求的重量制作




Carbon Steel And Stainless Steel Plough Anchor
碳钢与不锈钢犁式锚

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHLSM5KG	510	340	260	220	8~32
XHLSM7KG	560	380	270	230	8~32
XHLSM9KG	600	375	280	250	11~46
XHLSM10KG	620	400	290	270	11~46
XHLSM12KG	660	430	340	300	11~46
XHLSM15KG	730	490	370	330	13~50
XHLSM22KG	700	550	360	390	15~38
XHLSM27KG	780	600	460	360	15~40
XHLSM30KG	800	630	480	350	15~54



Garbon Steel And Stainless Steel Delfts Anchor
碳钢和不锈钢丹佛斯锚






Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHDFSM1.5KG	300		225	420	
XHDFSM2.0KG	350		230	470	
XHDFSM3.6KG	380	85	280	530	8
XHDFSM5.5KG	485	85	340	590	8
XHDFSM7.0KG	510	90	300	650	8
XHDFSM9KG	530	90	400	650	10
XHDFSM10KG	580	100	350	770	10
XHDFSM12KG	600	100	450	850	10
XHDFSM15KG	650	110	425	900	12
XHDFSM17KG		120			12
XHDFSM20KG		120			12
XHDFSM30KG		150			12
XHDFSM42KG		160			12
XHDFSM75KG		200			20
XHDFSM91KG		260			20

Sizes:Be Made as Y our Request　　可根据要求的重量制作

Garbon Steel And Stainless Steel Bruce Anchor
碳钢和不锈钢布鲁斯锚






Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHB1KG	265	110	183	130	8
XHB2KG	350	150	230	175	10
XHB2.5KG	400	160	220	200	15~18
XHB3.5KG	435	170	235	240	15~18
XHB5KG	470	190	310	270	15~18
XHB7.5KG	530	210	360	290	15~18
XHB10KG	600	228	380	320	15~18
XHB15KG	670	265	450	360	18~18
XHB20KG	715	360	470	390	15~20
XHB25KG	735	365	515	410	18~25
XHB30KG	815	425	550	460	18~25
XHB50KG	1000	440	675	500	18~30

Stainless Steel Folding Anchor 不锈钢折叠锚


Art. No.	A(mm)	B(mm)	C(mm)
XHZDM0.7KG	200	86	52
XHZDM1.5KG	305	135	53
XHZDM2.5KG	350	160	
XHZDM3.2KG	390	220	67
XHZDM4KG	432	240	76
XHZDM5KG	460	300	85
XHZDM7KG	530	300	85





Hot Dipped Galvanized Folding Anchor 热度锌折叠锚


Art. No.	A(mm)	B(mm)	C(mm)
XHZDM0.7KG	200	120	52
XHZDM1.5KG	320	170	53
XHZDM2.5KG			
XHZDM3.2KG	420	220	67
XHZDM4KG	460	240	76
XHZDM6KG	540	300	85
XHZDM7KG	530	300	85
XHZDM8KG	650	612	135
XHZDM10KG			





Anchor Filled With pb 灌铅锚


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHGQM20KG	505	400	400	65	400
XHGQM25KG	505	400	400	65	400






Anchor 四爪锚

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHSZM	590	200	Φ20	Φ25	Φ12










Anchor 五爪锚

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHWZM	380	110	Φ18	Φ20	Φ10





PVC Covered Mushroom Anchor 浸塑蘑菇锚


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHJM0030	147	125	Φ65	106	10
XHJM0050	177	149	Φ78	122	10



PVC Covered Delfth Anchor 浸塑丹佛斯锚

Art. No.	Weight	Material	Color
XHJD10151	1.5kg	Steel Plate	Red
XHJD10251	2.5kg	Steel Plate	Blue
XHJD10351	3.5kg	Steel Plate	Orange






New Type Anchor 山形锚

Art. No.	W(mm)	B(mm)	C(mm)
XH295	834.6	661.7	153.3






Chain Stop 止链器

Art. No.	Amm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL01	80.2	70	62	Φ12.5	13
XHL -18	59.5	53.5	48	Φ8	10.8

Din766 Chain 锚链


Art. No.	A(mm)	B(mm)	C(mm)	Load(KN)
XHTL001	3	16	11	4.1
XHTL002	4	16	13.7	8
XHTL003	5	18.5	17	12.5
XHTL004	6	20.2	18.5	16
XHTL005	7	23.8	22	25
XHTL006	8	27.2	24	32
XHTL007	9	30.6	27	40
XHTL008	10	34	28	50
XHTL009	11	37.4	31	63
XHTL010	12	40.8	34	66
XHTL011	13	44.2	36	80
XHTL012	14	47.5	41	100
XHTL013	16	54.4	45	125
XHTL014	18	61.2	50	160
XHTL015	20	68	56	200
XHTL016	23	78	64	250
XHTL017	26	88.4	73	320





Ground Ancher 地锚钩

Art. No.	A(mm)	B(mm)	C(mm)
XH1700	440	9	206





Anchor Chain 锚链接


Art. No.	A(mm)	B(mm)	C(mm)	D	E(mm)
XH0901A	88	9.9	16.4	5/16" - 18	M10
XH0901B	117	14.2	19.5	M12	M12






Swivel Anchor Chain 锚链接

Art. No.	A(mm)	B(mm)	C(mm)	D	E(mm)
XH0902A	95.4	8.9	14.7	5/16" - 18	M10
XH0902B	118.2	14	21	M12	M12










Double Swivel Anchor chain 锚链接

Art. No.	A(mm)	B(mm)	C(mm)	D	E(mm)
XH0903A	120	9	16	5/16" - 18	M10
XH0903B	169	13.6	17.7	M12	M12






Swivel Anchor Chain 锚链接

Art. No.	A(mm)	B(mm)	C(mm)	D	E(mm)
XH2101	139	17.5	27.5	M14	M16






Wheel 舵轮

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH0628A	720	22	12	55
XH0628B	510	22	12	55
XH0628C	375	22	12	55






Wheel 舵轮

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH1819	195	20	12	35






Wheel 舵轮

Art. No.	A(mm)	B(mm)	C(mm)
XH1820	Φ345	Φ309	Φ111

Wheel 舵轮


Art. No.	A(mm)	B(mm)	C(mm)
XH1821	Φ340	Φ298	110





Steering Wheel 方向盘


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHBA290 - 028	98.7	32	5	69	10.5





Glass Connection 玻璃幕墙支撑


Art. No.	A(mm)	B(mm)	C(mm)
XHBL - 1	356	356	118





Glass Connection 玻璃幕墙支撑


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHBL - 2	395	395	46	26	19






Glass Connection 玻璃幕墙支撑

Art. No.	A(mm)	B(mm)	C(mm)
XHBL - 3	358	210	50










Glass Connection 玻璃幕墙支撑

Art. No.	A(mm)	B(mm)	C(°)	D(mm)	E(mm)
XHBL-4	295	43	100	19	26






Glass Connection 玻璃幕墙支撑

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHBL-5	296	60.5	33	21	26






Glass Connection 玻璃幕墙支撑

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHBL-6	345	60.5	47	19	26






Glass Connection 玻璃幕墙支撑

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHBL-7	172	119	111	12.5	28*18






Step 脚踏板

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH3303	138	118	44	Φ10
XH3301	108	82	40	Φ7

Step 脚凳子


Art. No.	A(mm)	B(mm)	C(mm)
XH3302	68.26	31.75	6





Glass Connection 玻璃夹


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	for glass
XHBLZJ-3	51.5	40.5	23.5	11	8-10mm





Glass Clamp 玻璃夹


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHJFS	284	149	38	123	15





Glass Clamp 方柱玻璃夹


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHJFS - 4	123	38	185	78	60






Glass Connection 玻璃夹

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHBLZJ- 2	72.5	49.5	24	6









GLASS Connection 玻璃夹

Art. No.	A(mm)	B(mm)	C(mm)	D(°)	E(mm)
XHBLZJ- 4	88	36	Φ6.5	60	17






GLASS Connection 玻璃夹

Art. No.	A(mm)	B(mm)	C(mm)	D(°)	E(mm)
XHBLZJ- 5	268	110	Φ49	19	Φ16.5*58





GLASS Connection 玻璃夹

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHBLZJ- 6	189	49	23	140






GLASS Connection 玻璃夹

Art. No.	A(mm)	B(mm)	C(mm)	D(°)	E(mm)
XHBLZJ- 7	100	28	15.6	60	Φ8.6

GLASS Connection 玻璃夹


Art. No.	A(mm)	B(mm)	C(mm)	D(°)
XHBLZJ- 8	100	28	15.6	60





GLASS Connection 玻璃夹


Art. No.	A(mm)	B(mm)	C(mm)	D(°)	E(mm)
XHBLZJ- 9	88	36	36	60	17






GLASS Connection 玻璃夹


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHBLZJ	57	40	30	15.5	Ø6





GLASS Connection 玻璃夹


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHBLZJ-10	61	55	37	14	Ø6







GLASS Connection 玻璃夹

Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
XHJFS-3B	95.5	Ø 14	24.2	Ø19.5	50.2	Ø5.5










GLASS Connection 玻璃夹

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHBLZJ-19	45	28	45	15.5	Ø6






GLASS Connection 玻璃夹

Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHBLZJ-21	62.5	44.8	30	17	4






GLASS Connection 玻璃夹

Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHJFS-3A	260	49	23	135	M10






GLASS Connection 玻璃夹

Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
XHBL-8	332	3.5	13	8	M11	35

GLASS Connection 玻璃夹


Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
XHBL-9	180	35	16	8	M11	35





Heavy Duty Angled Padlock eyes 固定扣


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHZJ -TH02	50	19.8	4	3 2.5	11
XHZJ -TH02A	50	19.8	4	32.5	M6





Padlock eyes 固定扣


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHZJ - TH01	50	20	4	11	M8






Snap Hook Egg Type 挂钩

Art. No.	A(inch)	B(inch)	C(inch)	WLL(Lbs)
XHG - 1	0.25"	0.31"	2.00"	400"
XHG - 2	0.37"	0.50"	2.75"	600"
XHG - 3	0.50"	0.63"	4.00"	1000"








Bolt Bow Shackle 弓型卸扣

Art. No.	A	B	C	D	WLL	WT
XHS0113 - A0005	3/16"	1/4"	0.38"	0.88"	0.33	0.027
XHS0113 - A0006	1/4"	5/16"	0.47"	1.13"	0.50	0.048
XHS0113 - A0008	5/16"	3/8"	0.53"	1.22"	0.75	0.086
XHS0113 - A0010	3/8"	7/16"	0.66"	1.44"	1.00	0.152
XHS0113 - A0012	7/16"	1/2"	0.75"	1.69"	1.50	0.248
XHS0113 - A0013	1/2"	5/8"	0.81"	1.88"	2.00	0.355
XHS0113 - A0016	5/8"	3/4"	1.06"	2.38"	3.00	0.699
XHS0113 - A0020	3/4"	7/8"	1.25"	2.81"	4.00	1.145
XHS0113 - A0022	7/8"	1"	1.44"	3.31"	5.00	1.659
XHS0113 - A0025	1"	1.1/8"	1.69"	3.75"	6.00	2.163




Bolt Dee Shackle D型卸扣

Art. No.	A Size	B Pin Dia.	C Inside Winth	D Inside Length	WLL (Tons)	WT (kgs)
XHS0114 - A0005	3/16"	1/4"	0.38"	0.75"	0.33	0.026
XHS0114 - A0006	1/4"	5/16"	0.47"	1.88"	0.50	0.045
XHS0114 - A0008	5/16"	3/8"	0.53"	1.03"	0.75	0.084
XHS0114 - A0010	3/8"	7/16"	0.66"	1.25"	1.00	0.141
XHS0114 - A0012	7/16"	1/2"	0.75"	1.44"	1.50	0.231
XHS0113 - A0013	1/2"	5/8"	0.81"	1.63"	2.00	0.326
XHS0114 - A0016	5/8"	3/4"	1.06"	2.00"	3.00	0.630
XHS0114- A0020	3/4"	7/8"	1.25"	2.38"	4.00	1.056
XHS0114 - A0022	7/8"	1"	1.44"	2.81"	5.00	1.610
XHS0114 - A0025	1"	1.1/8"	1.69"	3.19"	6.00	2.058

European Commercial Dee Shackle　　D型卸扣


Art. No.	A (mm)	B(mm)	C(mm)	D(mm)	WLL(Tons)
XHU - 20	4	4	8	16	0.06
XHU - 21	5	5	10	19	0.08
XHU - 22	6	6	13	25	0.10
XHU - 23	8	8	16	32	0.20
XHU - 24	10	10	19	38	0.32
XHU - 25	12	12	25	51	0.52
XHU - 26	16	16	32	64	0.80
XHU - 27	20	20	38	76	1.10
XHU - 28	22	22	44	89	1.50
XHU - 29	25	25	51	100	2.10
XHU - 30	28	28	57	115	3.00
XHU - 31	32	32	64	127	3.50





European Commercial Long - Dee Shackle　　长D型卸扣


Art. No.	A (inch)	B(inch)	C(inch)	D(inch)	WLL(Tons)
XHU - 123	5/32"	5/32"	0.31"	1.20"	0.09
XHU - 124	3/16"	3/16"	0.43"	1.51"	0.10
XHU - 125	1/4"	1/4"	0.50"	1.75"	0.15
XHU - 126	5/16"	5/16"	0.63"	2.37"	0.25
XHU - 127	3/8"	3/8"	0.75"	3.00"	0.50
XHU - 128	1/2"	1/2"	0.91"	3.57"	0.60





European Commercial Twisted Shackle　　扭体卸扣


Art. No.	A (inch)	B(inch)	C(inch)	D(inch)	WLL(Tons)
XHS - 030	5/32"	5/32"	0.29"	1.03"	0.09
XHS - 031	3/16"	3/16"	0.44"	1.25"	0.10
XHS - 032	1/4"	1/4"	0.48"	1.56"	0.15
XHS - 033	5/16"	5/16"	0.66"	1.88"	0.25
XHS - 034	3/8"	3/8"	0.77"	2.43"	0.50
XHS - 035	1/2"	1/2"	0.96"	2.88"	0.60





Bow Shackle 弓型卸扣






Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	WLL(Tons)
XHU - 080	4	4	8	14	0.09
XHU - 081	5	5	10	18	0.10
XHU - 082	6	6	13	25	0.15
XHU - 083	8	8	16	32	0.25
XHU - 084	10	10	19	38	0.50
XHU - 085	12	12	25	51	0.60
XHU - 086	16	16	32	64	1.10
XHU - 087	20	20	38	76	1.60
XHU - 088	22	22	44	89	2.50
XHU - 089	25	25	51	100	3.00
XHU - 090	28	28	57	108	3.50
XHU - 091	32	32	65	114	4.50

Life Saving Ring 救生环






Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0621	30	41.5	95	5	M8
XH0821	35	40.5	102	5	M8

Shackle Casted 卸扣






Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL31	57	26	5	6

Swivel Jaw–jaw 叉叉式链接转环






Art. No.	A(incn)	B(incn)	C(incn)	D(incn)	WLL(Tons)
XHS - 036	1/4"	0.50"	0.43"	2.62"	600
XHS - 037	5/16"	0.62"	0.62"	3.62"	1100
XHS - 038	3/8"	0.75"	0.87"	4.62"	1540
XHS - 039	1/2"	1.00"	1.12"	6.00"	2640
XHS - 040	5/8"	1.25"	1.37"	7.37"	4750
XHS - 041	3/4"	1.50"	1.62"	8.58"	7000

Swivel Eye–jaw 圈叉式链接转环


Art. No.	A(incn)	B(incn)	C(incn)	D(incn)	WLL(Lbs)
XHS - 042	1/4"	0.50"	0.43"	2.62"	600
XHS - 043	5/16"	0.62"	0.62"	3.62"	1100
XHS - 044	3/8"	0.75"	0.87"	4.62"	1540
XHS - 045	1/2"	1.00"	1.12"	6.00"	2640
XHS - 046	5/8"	1.25"	1.37"	7.37"	4750
XHS - 047	3/4"	1.50"	1.62"	8.62"	7000





Swivel Eye–Eye 圈圈式链接转环


Art. No.	A(incn)	B(incn)	C(incn)	D(incn)	WLL(Lbs)
XHS - 048	5/32"	0.43"	0.50"	2.00"	150
XHS - 049	3/16"	0.50"	0.50"	2.31"	300
XHS - 050	1/4"	0.56"	0.56"	2.56"	600
XHS - 051	5/16"	0.75"	0.75"	3.62"	1100
XHS - 052	3/8"	0.87"	1.00"	4.62"	1540
XHS - 053	1/2"	1.25"	1.31"	6.00"	2640
XHS - 054	5/8"	1.50"	1.62"	7.37"	4750
XHS - 055	3/4"	1.62"	2.00"	8.50"	7000
XHS - 056	7/8"	1.8"	2.00"	9.25"	8000
XHS - 057	1"	2.50"	2.58"	11.00"	10000





Pull Handle 大D形拉手


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHDG - 1	114	55	43	60
XHDG - 1A	171	82.5	64.5	90






Pull Handle 圆角D形拉手

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHDG - 1B	40	119.5	49.9	Φ7	Φ26










D Ring Casted 铸造式D型环

Art. No.	A(mm)	B(mm)	C(mm)
XHDG - 2	59.7	15	53






D–Handle D型拉手

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHDG - 3	38	52.5	10	8.5	11.7






Flat Dee Shackle 扁体D型卸扣

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH2431 - 0104	17	10	5.7	4	1.5
XH2431 - 0105	20	12.5	7	5	2
XH2431 - 0106	24	15	8	6	3
XH2431 - 0108	44	21	10	8	4






Flat Bow Shackle 扁体弓型卸扣

Art. No.	D(mm)	A(mm)	B(mm)	E(mm)	E(mm)
XH2432 - 0304	4	15	9.5	1.5	4.8
XH2432 - 0305	5	17	11	2	6.7
XH2432 - 0306	6	23	16	3	8
XH2432 - 0308	8	31	23	4	8
XH2432 - 0310	10	40	25	5	11.5
XH2432 - 0312	12	50	28.5	6	14






U – Bolt U型栓

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH130407 - 4	116	89	20	17	48

U-Bolt U型栓


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E (mm)
XHU - 13	130	42	12	M12	80





U – Bolt U型栓


Art. No.	A(mm)	B(mm)	C(mm)
XHU - 1	64	60	4
XHU - 2	60	55	5
XHU - 3	60	54	6
XHU - 4	70	64	6
XHU - 5	90	84	6
XHU - 6	64	56	8
XHU - 7	80	72	8
XHU - 8	100	92	8
XHU - 9	90	80	10
XHU - 10	130	120	10
XHU - 11	150	138	12





U – Bolt U型栓


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHUB - 1	65	M8	35	25
XHUB - 2	85	M8	35	45






U – Bolt U型栓

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHUB - 3	90	M10	40.6	40
XHUB - 4	101.5	M12	60.6	50










U– Bolt U型栓

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHUB - 5	130	M10	35	95






Snap Hook 挂钩

Art. No.	A(mm)	B(mm)	C(mm)
XHL09	50	34	22






Swivel Eye Snap Shackles 卸扣

Art. No.	A(inch)	B(inch)	C(inch)	WLL(lbs)
XH0904A	0.28"	0.39"	2.38"	1000
XH0904B	3.50"	0.62"	0.75"	1500
XH0904C	5"	0.875"	0.875"	2100





Shackles 卸扣

Art. No.	A(inch)	B(inch)	C(inch)	D(inch)	WLL(Lbs)
XH0905A	2.875"	0.50"	0.50"	0.25"	
XH0905B	3.50"	0.62"	0.50"	0.25"	1200
XH0905C	4"	1.00"	0.875"	0.50"	1800





Shackles 卸扣

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL-38	93	54	16	7.5	36






Shackles 卸扣

Art. No.	A(mm)	B(mm)	C(mm)
XH0907A	52	12	9
XH0907B	65	16	12
XH0907C	96	22	16

Flat Swivel Eye Pulley 单滑轮


Code. No.	SHEAVE	ROPE	EYE	LENGTH	WLL(lbs)	WT(kgs)
XHS0444 - A/B0050	2"	3/8"	0.82"	5.00"	1000	1.030
XHS0444 - A/B0075	3"	1/2"	0.97"	6.75"	1400	1.820
XHS0444 - A/B0100	4"	5/8"	0.97"	8.00"	2000	2.270





Pulley 单滑轮


Art. No.	A(inch)	B(inch)	C(inch)	D(inch)	WLL(Lbs)
XHS - 058	1"	1/4"	0.61"	.0.28"	400
XHS - 059	1 - 1/4"	5/16"	0.63"	3.85"	600
XHS - 060	2"	3/8"	0.82"	5.00"	1000





Double Pulley 双滑轮


Art. No.	A(inch)	B(inch)	C(inch)	D(inch)	WLL(Lbs)
XHS - 063	1"	1/4"	0.61"	3.28"	400
XHS - 064	1 - 1/4"	5/16"	0.63"	3.85"	600
XHS - 065	2"	3/8"	0.82"	5.00"	1000





Rope Cleat 滑轮导绳器


Art.No	A(mm)	B(mm)	C(mm)
XHL-103	158	4	10






Pulley 单滑轮

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL - 105	150	120	42	Φ9.8	M14










Spring snap hook with hoop 弹簧钩

Code. No.	Size(mm)	A(length)	B	C	D	WLL(Lbs)	WT(kgs)
XHS0313 - A/B0005	5*50	2"	0.18"	0.18"	0.25"	100	0.019
XHS0313 - A/B0006	6*60	2.3/8"	0.28"	0.25"	0.31"	140	0.031
XHS0313 - A/B0007	7*70	2.3/4"	0.31"	0.28"	0.37"	200	0.049
XHS0313 - A/B0008	8*80	3.1/4"	0.37"	0.31"	0.37"	250	0.076
XHS0313 - A/B0009	9*90	3.5/8"	0.4"	0.34"	0.46"	280	0.097
XHS0313 - A/B0010	10*100	4"	0.43"	0.37"	0.56"	400	0.153
XHS0313 - A/B0011	11* 120	4.3/4"	0.56"	0.43"	0.68"	500	0.203
XHS0313 - A/B0012	12*140	5.1/2"	0.62"	0.46"	0.75"	600	0.284
XHS0313 - A/B0013	13*160	6.3/8"	0.75"	0.50"	1.00"	700	0.380






Spring snap hook 弹簧钩

Code. No.	Size(mm)	A(length)	B	C	D	WLL(Lbs)	WT(KGS)
XHS0311 - A/B0005	5*50	2"	0.18"	0.31"	0.25"	100	0.018
XHS0311 - A/B0006	6*60	2.3/8"	0.28"	0.31"	0.31"	140	0.028
XHS0311 - A/B0007	7*70	2.3/4"	0.31"	0.37"	0.37"	200	0.046
XHS0311 - A/B0008	8*80	3.1/4"	0.37"	0.43"	0.37"	250	0.071
XHS0311 - A/B0009	9*90	3.5/8"	0.40"	0.52"	0.46"	280	0.091
XHS0311 - A/B0010	10*100	4"	0.43"	0.62"	0.56"	400	0.146
XHS0311 - A/B0011	11*120	4.3/4"	0.56"	0.75"	0.068"	500	0.195
XHS0311 - A/B0012	12*140	5.1/2"	0.62"	0.87"	0.75"	600	0.274
XHS0311 - A/B0013	13*160	6.3/8"	0.75"	0.93"	1.00"	700	0.363





Spring snap hook with eye 弹簧钩

Code. No.	Size(mm)	A(length)	B	C	D	WLL(Lbs)	WT(KGS)
XHS0312 - A/B0005	5*50	2"	0.31"	0.18"	0.25"	100	0.019
XHS0312 - A/B0006	6*60	2.3/8"	0.31"	0.25"	0.31"	140	0.029
XHS0312 - A/B0007	7*70	2.3/4"	0.37"	0.28"	0.37"	200	0.047
XHS0312 - A/B0008	8*80	3.1/4"	0.43"	0.31"	0.37"	250	0.073
XHS0312 - A/B0009	9*90	3.5/8"	0.52"	0.34"	0.46"	280	0.094
XHS0312 - A/B0010	10*100	4"	0.62"	0.37"	0.56"	400	0.149
XHS0312 - A/B0011	11*120	4.3/4"	0.75"	0.43"	0.68"	500	0.199
XHS0312 - A/B0012	12*140	5.1/2"	0.87"	0.46"	0.75"	600	0.279
XHS0312 - A/B0013	13*160	6.3/8"	0.93"	0.50"	1.00"	700	0.370


Fixed Snap Ring 固定卡环

Code. No.	Size(mm)	WT(Kg/100pc)
XH1718 - 0601	2	0.25
XH1718 - 0602	2.5	0.40
XH1718 - 0603	3	0.6
XH1718 - 0604	3.7	1.10
XH1718 - 0605	4	1.95
XH1718 - 0606	5	2.50
XH1718 - 0607	6	2.80



Quick Link 快速链接环


Code. No.	A(mm)	B(mm)	C(mm)	D(mm)	WLL(lbs)
XHQ - 1	3.5	47	17	10	175
XHQ - 2	5	62	23	14	650
XHQ - 3	6	72	26.5	16	875
XHQ - 4	8	90	33.5	18	1525
XHQ - 5	10	105	40.5	20	2300
XHQ - 6	12	122	47.5	23	2500





Hook 货钩


Art. No.	A(inch)	B(inch)	C(inch)	D(inch)	WLL(lbs)
XHS - 061	3/4"	0.62"	4.00"	1.87"	650
XHS - 062	1 -1/8"	0.81"	4.75"	2.12"	1100






Snap Hook Egg Type 简易弹簧钩

Art. No.	A(inch)	B(inch)	C(inch)	WLL(lbs)
XHG - 4	0.28"	0.39"	2.38"	50
XHG - 5	0.43"	0.50"	3.19"	140
XHG - 6	0.50"	0.59"	4.00"	200
XHG - 7	0.63"	0.83"	4.80"	300










Hook 挂钩

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHG - 8A	79	61	5	16.3






Swivel Eye Snap 挂钩

Art. No.	A(inch)	B(inch)	C(inch)	D(inch)	WLL(Lbs)
XHG - 8(1#)	0.63"	3.37"	0.18"	0.43"	100
XHG - 9(2#)	0.75"	4.00"	0.25"	0.43"	200
XHG -10(3#)	0.88"	4.62"	0.28"	0.50"	300






Swivel Eye Snap 挂钩

Art. No.	A(inch)	B(inch)	C(inch)	D(inch)	WLL(Lbs)
XHG - 11	0.50"	2.62"	0.12"	0.21"	200
XHG - 12	0.63"	2.95"	0.15"	0.43"	200






Swivel Eye Snap 挂钩

Art. No.	A(inch)	B(inch)	C(inch)	D(inch)	WLL(Lbs)
XHG - 13	0.48"	2.73"	0.32"	0.28"	50
XHG - 14	0.55"	3.16"	0.38"	0.36"	100
XHG - 15	0.70"	3.68"	0.45"	0.41"	200
XHG - 16	0.79"	3.60"	0.37"	0.34"	250
XHG - 17	0.85"	3.80"	0.37"	0.34"	300

Eye Nut DIN 582 吊环螺母


Code No.	Size(mm)	A(mm)	B(mm)	C(mm)	D(mm)	WLL(Tons)	WT(KGS)
XHDH-S0822-A/B0006	6	6	28	16	20	0.07	0.049
XHDH-S0822-A/B0008	8	8	36	20	20	0.14	0.050
XHDH-S0822-A/B0010	10	10	45	25	25	0.23	0.090
XHDH-S0822-A/B0012	12	12	53	30	30	0.34	0.160
XHDH-S0822-A/B0016	16	16	62	35	35	0.70	0.240
XHDH-S0822-A/B0020	20	20	71	40	40	1.20	0.360
XHDH-S0822-A/B0024	24	24	90	50	50	1.80	0.720
XHDH-S0822-A/B0030	30	30	109	60	60	3.60	1.320






Eye Screw DIN 580 吊环螺丝

Code No.	Size(mm)	A(mm)	B(mm)	C(mm)	D(mm)	WLL(Tons)	WT(KGS)
XHD - S0821- A/B0006	6	6	28	16	13	0.07	0.050
XHD - S0821- A/B0008	8	8	36	20	14	0.14	0.060
XHD - S0821- A/B0010	10	10	45	25	17	0.23	0.110
XHD - S0821- A/B0012	12	12	53	30	21	0.34	0.180
XHD - S0821- A/B0016	16	16	62	35	27	0.70	0.320
XHD - S0821- A/B0020	20	20	71	40	30	1.20	0.450
XHD - S0821- A/B0024	24	24	90	50	36	1.80	0.760
XHD - S0821- A/B0030	30	30	109	60	45	3.60	1.660




Shoulder Eye Bolt 吊环螺丝

Code No.	Size	A	B	C	D	WLL(ibs)	WT(KGS)
XHS0802 - A/B0602	1/4"	0.25"	1.50"	2.00"	0.50"	400	0.028
XHS0802 - A/B0604	1/4"	0.25"	2.25"	4.00"	0.50"	400	0.039
XHS0802 - A/B0802	5/16"	0.31"	1.50"	2.25"	0.62"	720	0.057
XHS0802 - A/B0804	5/16"	0.31"	2.50"	4.50"	0.62"	720	0.085
XHS0802 - A/B1002	3/8"	0.38"	1.25"	2.50"	0.75"	930	0.086
XHS0802 - A/B1004	3/8"	0.38"	2.25"	4.50"	0.75"	930	0.140
XHS0802 - A/B1203	1/2"	0.50"	1.50"	3.25"	1.00"	1560	0.170
XHS0802 - A/B1206	1/2"	0.50"	3.00"	6.00"	1.00"	1560	0.260
XHS0802 - A/B1604	5/8"	0.63"	2.00"	4.00"	1.25"	3120	3.340
XHS0802 - A/B1606	5/8"	0.63"	3.00"	6.00"	1.25"	3120	0.460
XHS0802 - A/B2004	3/4"	0.75"	2.00"	4.50"	1.50"	4320	0.570
XHS0802 - A/B2006	3/4"	0.75"	3.00"	6.00"	1.50"	4320	0.680
XHS0802 - A/B2205	7/8"	0.88"	2.50"	5.00"	1.75"	6360	1.020
XHS0802 - A/B2506	1"	1.00"	3.00"	6.00"	2.00"	8000	1.700
XHS0802 - A/B2509	1"	1.00"	4.00"	9.00"	2.00"	8000	1.950
XHS0802 - A/B3208	1.1/4"	1.25"	4.00"	8.00"	2.50"	12600	2.950
XHS0802 - A/B3212	1.1/4"	1.25"	4.00"	12.00"	2.50"	12600	3.520




Shoulder Eye Bolt 吊环螺丝

Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHDHY-20	150	112	M20	Ø18	22








Eye Bolt 吊环螺丝

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHCY-01	62	13.5	Φ6	M8






Eye Bolt 吊环螺丝

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XHCY-00	62	13.5	Φ6	M8






Track Slide 滑道

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)
XH845201	101	42.5	32.5	3






Track Slide 滑道

Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL-104	80.2	33.5	40	10.5	2.5






Track Slide 滑道

Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL- 65	41	Ø 32	48	118	21

Square Eye Plate 门鼻子


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHFD-1	35	30	19	14	4
XHFD-2	40	35	26	18	5
XHFD-3	50	40	33	20	6





Balancing Base 平衡架


Art.No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL-107	75	104	Ø38	Ø 34	3





Square Eye Plate 门鼻子


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHFD-4	36	30	13.5	Φ5	Φ5.2
XHFD-4A	40	35	18	Φ6	Φ5.2
XHFD-4B	50	40	20	Φ8	Φ5.2






Square Eye Plate 门鼻子


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHFD-5	40	40	17	Φ6	Φ4






Square Eye Plate 门鼻子

Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHFD-8	50*40	33	21	Φ52	Φ5










Ladder Padeyes 门鼻子

Art.No.	A(inch)	B(inch)	C(inch)	D(inch)	E(inch)
XH0028	1/4"	1/8"	3.62"	7.00"	0.40"






Ladder Padeyes 门鼻子

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0028A	84	44	30	24	5






Square Eye Plate 门鼻子

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHFD-6	80	26	20	Φ8	Φ5.8
XHFD-7	45	15	10	Φ5	Φ5
XHFD-6A	60	20	18	Φ6	Φ5.2
XHFD-6B	100	32	22	Φ6	Φ6.5






Dee Ring D型环

Art.No.	A(mm)	B(mm)	C(mm)
XHD-1	3	18	25
XHD-2	4	17	25
XHD-3	4	25	30
XHD-3	4.5	30	31
XHD-4	5	33.5	50
XHD-5	5	12	34
XHD-6	5	12	34
XHD-7	8	45	47.5






Dee Ring D型环带卷筒

Art. No.	A(mm)	B(mm)	C(mm)
XHD-24	60	7	52
XHD-25	40	6	33
XHD-26	30	4	29

Dee Ring　D型环


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL-102	57	30	5	Φ5.8





Dee Ring　D型环


Art. No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHDG-5	6	33	52	48	5.2





Connector　舵连接器


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL-530	98	83	38	10	10





Rigging Screw Jaw/Jaw　开体花篮


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHL-14	160~252	36.6	15.5	9	13.5






Steel Cable Terminal　钢丝绳接头　接1/4"钢丝绳

Art.No.	A(mm)	B(mm)	C	D(mm)
XH1710	208.5	Φ9.5	1/4"-28	90






Rigging Screw Jaw/Swage Stud 封闭式叉杆花篮




Art.No.	A(inch)	B(inch)	C(inch)	D(inch)	E(inch)
XHR-0020	1/4”	1/8”	3.62”	7.00”	0.40”
XHR-0021	1/4”	5/32”	3.62”	7.00”	0.40”
XHR-0022	5/16”	5/32”	4.62”	8.50”	0.45”
XHR-0023	5/16”	3/16”	4.62”	8.50”	0.45”
XHR-0024	3/8”	3/16”	4.90”	9.25”	0.51”
XHR-0025	3/8”	7/32”	4.90”	9.50”	0.51”
XHR-0026	3/8”	1/4”	4.90”	9.75”	0.51”
XHR-0027	1/2”	1/4”	5.80”	11.50”	0.60”
XHR-0028	1/2”	9/32”	5.80”	11.75”	0.60”
XHR-0029	1/2”	5/16	5.80”	12.00”	0.60”
XHR-0030	5/8”	3/8	7.50”	15.50”	0.76”

Rigging Screw Jaw/Jaw 封闭式叉叉花篮



Art.No.	A(inch)	B(inch)	C(inch)	D(inch)	E(inch)
XHR-0031	3/16"	3.16"	4.90"	0.25"	0.18"
XHR-0032	1/4"	3.72"	5.64"	0.31"	0.25"
XHR-0033	5/16"	4.20"	6.50"	0.37"	0.31"
XHR-0034	3/8"	4.87"	7.75"	0.43"	0.37"
XHR-0035	1/2"	5.75"	9.50"	0.50"	0.50"
XHR-0036	5/8"	7.50"	13.00"	0.68"	0.62"


Turnbuckle Din 1480 Eye/Eye 开体花篮



Art.No.	A(inch)	B(inch)	C(inch)	D(inch)	WLL(Tons)
XHKL-26	1/4"	4.00"	7.50"	0.45"	0.16
XHKL-27	5/16"	4.50"	8.50"	0.50"	0.25
XHKL-28	3/8"	6.00"	10.75"	0.51"	0.40
XHKL-29	1/2"	6.00"	12.00"	0.71"	0.70
XHKL-30	5/8"	6.00"	13.50"	0.87"	1.12
XHKL-31	3/4"	6.00"	15.50"	0.98"	1.60
XHKL-32	1"	6.00"	19.00"	1.35"	3.20
XHKL-33	1"	12.00"	24.00"	1.35"	3.20
XHKL-34	1-1/4"	12.00"	24.00"	1.75"	4.70


Turnbuckle Din1480 Hook/Eye 开体花篮

Art.No.	A(inch)	B(inch)	C(inch)	D(inch)	E(inch)
XHKL-44	1/4"	4.00"	7.50"	0.45"	0.37"
XHKL-45	5/16"	4.50"	8.50"	0.50"	0.44"
XHKL-46	3/8"	6.00"	10.75"	0.51"	0.50"
XHKL-47	1/2"	6.00"	12.00"	0.71"	0.63"
XHKL-48	5/8"	6.00"	13.50"	0.87"	0.63"
XHKL-49	3/4"	6.00"	15.50"	0.98"	0.95"
XHKL-50	1"	6.00"	19.00"	1.35"	1.20"
XHKL-51	1"	12.00"	24.00"	1.35"	1.20"
XHKL-52	1-1/4"	12.00"	24.00"	1.75"	1.44"



Turnbuckle Din1480 Hook/Hook 开体花篮

Art.No.	A(inch)	B(inch)	C(inch)	D(inch)	WLL(Tons)
XHKL-64	1/4"	4.00"	7.50"	0.37"	0.13
XHKL-65	5/16"	4.50"	8.50"	0.44"	0.22
XHKL-66	3/8"	6.00"	10.75"	0.51"	0.32
XHKL-67	1/2"	6.00"	12.00"	0.63"	0.45
XHKL-68	5/8"	6.00"	13.50"	0.63"	0.72
XHKL-69	3/4"	6.00"	15.50"	0.95"	1.00
XHKL-70	1"	6.00"	19.00"	1.20"	1.60
XHKL-71	1"	12.00"	24.00"	1.20"	1.60
XHKL-72	1-1/4"	12.00"	24.00"	1.44"	2.20




Turnbuckle U.S. Type 美式叉叉开体花篮

Code No.	A Size	B Sody Length	C Closed Winth	D Jaw Pin	E Jaw Width	WLL (Tans)	WT (kgs)
XHRS0201-A/B0604	1/4"	4.00"	7.50"	0.20"	0.45"	0.16	0.24
XHRS0201-A/B0805	5/16"	4.50"	8.50"	0.25"	0.51"	0.25	0.33
XHRS0201-A/B1006	3/8"	6.00"	10.75"	0.30"	0.54"	0.40	0.40
XHRS0201-A/B1206	1/2"	6.00"	12.00"	0.37"	0.63"	0.70	0.79
XHRS0201-A/B1606	5/8"	6.00"	13.50"	0.50"	0.82"	1.12	1.38
XHRS0201-A/B2006	3/4"	6.00"	15.50"	0.62"	1.03"	1.60	2.15
XHRS0201-A/B2506	1"	6.00"	19.00"	0.75"	1.23"	3.20	4.60
XHRS0201-A/B2512	1"	12.00"	24.00"	0.75"	1.23"	3.20	5.92
XHRS0201-A/B3212	1.1/4"	12.00"	24.00"	1.00"	1.80"	4.70	9.80




Turnbuckle U.S. Type 美式圈圈开体花篮




Code No.	A Size	B Sody Length	C Closed Winth	D Jaw Pin	WLL (Tans)	WT (kgs)
XHHLS0202-A/B0604	1/4"	4.00"	7.50"	0.45"	0.16	0.19
XHHLS0202-A/B0805	5/16"	4.50"	8.50"	0.50"	0.25	0.27
XHHLS0202-A/B1006	3/8"	6.00"	10.75"	0.51"	0.40	0.35
XHHLS0202-A/B1206	1/2"	6.00"	12.00"	0.71"	0.70	0.73
XHHLS0202-A/B1606	5/8"	6.00"	13.50"	0.87"	1.12	1.25
XHHLS0202-A/B2006	3/4"	6.00"	15.50"	0.98"	1.60	1.77
XHHLS0202-A/B2506	1"	6.00"	19.00"	1.35"	3.20	4.24
XHHLS0202-A/B2512	1"	12.00"	24.00"	1.35"	3.20	5.19
XHHLS0202-A/B3212	1.1/4"	12.00"	24.00"	1.75"	4.70	9.10

Turnbuckle U.S. Type 美式圈叉开体花篮



Code No.	A Size	B Sody Length	C Closed Winth	D Jaw Pin	E Jaw Width	WLL (Tans)	WT (kgs)
XHS0203-A/B0604	1/4"	4.00"	7.50"	0.45"	0.45"	0.16	0.21
XHS0203-A/B0805	5/16"	4.50"	8.50"	0.50"	0.51"	0.25	0.30
XHS0203-A/B1006	3/8"	6.00"	10.75"	0.51"	0.54"	0.40	0.38
XHS0203-A/B1206	1/2"	6.00"	12.00"	0.71"	0.63"	0.70	0.75
XHS0203-A/B1606	5/8"	6.00"	13.50"	0.87"	0.82"	1.12	1.27
XHS0203-A/B2006	3/4"	6.00"	15.50"	0.98"	1.03"	1.60	1.93
XHS0203-A/B2506	1"	6.00"	19.00"	1.35"	1.23"	3.20	4.30
XHS0203-A/B2512	1"	12.00"	24.00"	1.35"	1.23"	3.20	5.56
XHS0203-A/B3212	1.1/4"	12.00"	24.00"	1.75"	1.80"	4.70	9.50


Turnbuckle U.S. Type 美式封闭式叉叉花篮



Code No.	A Size	B Body Length	C Closed Length	D Jaw Width	E (Pin Dia)	WLL (kgs)
XHS0263-A/B0005	3/16"	3.16"	5.20"	0.25"	0.20"	0.11
XHS0263-A/B0006	1/4"	3.72"	6.50"	0.32"	0.24"	0.15
XHS0263-A/B0008	5/16"	4.20"	8.00"	0.47"	0.31"	0.28
XHS0263-A/B0010	3/8"	4.87"	9.50"	0.51"	0.35"	0.42
XHS0263-A/B0012	1/2"	5.75"	10.50"	0.53"	0.47"	0.55

Wire Connection 栏杆绳接头


Art.No.	A(inch)	B（inch）	C（inch）	D（inch）
XHUL-001	1/16”	0.28”	0.20”	2.28”
XHUL-002	3/32”	0.28”	0.20”	2.28”
XHUL-003	1/8”	0.28”	0.20”	2.56”
XHUL-004	5/32”	0.35”	0.24”	2.87”
XHUL-005	3/16”	0.43”	0.32”	3.30”
XHUL-006	7/32”	0.47”	0.37”	3.74”
XHUL-007	1/4”	0.51”	0.43”	4.17”
XHUL-008	9/32”	0.55”	0.47”	4.60”
XHUL-009	5/16”	0.55”	0.47”	5.12”
XHUL-010	3/8”	0.71”	0.55”	5.94”





Wire Connection for 5mm Wire Ropes 栏杆绳接头


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL-35	222.7	8.3	20	M8





Wire Connection for 5mm Wire Ropes 栏杆绳接头


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL-36	215	36	12	M8





Wire Connection for 4mm Wire Ropes 栏杆绳接头


Art.No.	A(mm)	B(mm)	C(mm)	D	E(mm)
XHL-1002	153	29	11	1/4-28	5.2





Corner Protection 护角


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
XHTC-1	27	27	11.4	4	90
XHTC-2	40	30	15.5	5	90
XHTC-3	45	40	19	6	90





Eye Screw 连接螺丝






Art.No.	A(inch)	B(inch)	C(inch)	D(inch)
XHDH-87	1/16"	0.12"	0.22"	1.93"
XHDH-88	3/32"	0.12"	0.22"	1.93"
XHDH-89	1/8"	0.21"	0.25"	2.50"
XHDH-90	5/32"	0.25"	0.31"	2.88"
XHDH-91	3/16"	0.31"	0.38"	3.25"
XHDH-92	7/32"	0.24"	0.41"	3.35"
XHDH-93	1/4"	0.37"	0.50"	4.00"
XHDH-94	9/32"	0.35"	0.51"	4.10"
XHDH-95	5/16"	0.50"	0.63"	4.75"
XHDH-96	3/8"	0.62"	0.70"	5.75"
XHDH-97	1/2"	0.75"	0.76"	7.20"

Swage Eye 接线器






Code No.	A(Wire)	B(Eye Thickness)	C(Eye Dia)	D(Length)	Swage(Before)	Swag(After)
XHS0267-A0001	1/16"	0.12"	0.22"	1.93"	0.216"	0.189"
XHS0267-A0002	3/32"	0.12"	0.22"	1.93"	0.216"	0.189"
XHS0267-A0003	1/8"	0.21"	0.25"	2.50"	0.250"	0.219"
XHS0267-A0004	5/32"	0.25"	0.31"	2.88"	0.297"	0.250"
XHS0267-A0005	3/16"	0.31"	0.38"	3.25"	0.359"	0.313"
XHS0267-A0006	7/32"	0.24"	0.41"	3.35"	0.425"	0.370"
XHS0267-A0007	1/4"	0.37"	0.50"	4.00"	0.494"	0.438"
XHS0267-A0008	9/32"	0.35"	0.51"	4.10"	0.559"	0.496"
XHS0267-A0009	5/16"	0.50"	0.63"	4.75"	0.635"	0.563"
XHS0267-A0010	3/8"	0.62"	0.70"	5.75"	0.705"	0.625"
XHS0267-A0012	1/2"	0.75"	0.76"	7.20"	0.844"	0.750"


Swage Jaw 接线器

Code No.	A(Wire)	B(Eye Thickness)	C(Eye Dia)	D(Length)	Swage(Before)	Swag(After)
XHS0266-A0001	1/16"	0.28"	0.20"	2.28"	0.216"	0.189"
XHS0266-A0002	3/32"	0.28"	0.20"	2.28"	0.216"	0.189"
XHS0266-A0003	1/8"	0.28"	0.20"	2.56"	0.250"	0.219"
XHS0266-A0004	5/32"	0.35"	0.24"	2.87"	0.297"	0.250"
XHS0266-A0005	3/16"	0.43"	0.32"	3.30"	0.359"	0.313"
XHS0266-A0006	7/32"	0.47"	0.37"	3.74"	0.425"	0.370"
XHS0266-A0007	1/4"	0.51"	0.43"	4.17"	0.494"	0.438"
XHS0266-A0008	9/32"	0.35"	0.51"	4.10"	0.559"	0.496"
XHS0266-A0009	5/16"	0.50"	0.63"	4.75"	0.635"	0.563"
XHS0266-A0010	3/8"	0.62"	0.70"	5.75"	0.705"	0.625"




Wire Connection 接线器

Art.No.	A(inch)	B(inch)	C(inch)	D(inch)
XHDH-105	1/4"	1/8"	2.10"	4.16"
XHDH-106	1/4"	5/32"	2.16"	4.41"
XHDH-107	1/4"	3/16"	2.79"	5.29"
XHDH-108	5/16"	5/32"	2.79"	5.29"
XHDH-109	5/16"	3/16"	2.79"	5.29"
XHDH-110	3/8"	3/16"	2.72"	5.29"
XHDH-111	3/8"	7/32"	2.50"	5.50"
XHDH-112	3/8"	1/4"	3.00"	6.50"
XHDH-113	1/2"	1/4"	3.25"	7.50"
XHDH-114	1/2"	9/32"	3.25"	6.75"
XHDH-115	1/2"	5/16"	3.25"	7.25"
XHDH-117	5/8"	3/8"	4.25"	9.00"
XHDH-118	3/4"	1/2"	4.75"	10.25"




Removable Pin with Ring and String 带钢丝绳销子

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHDH-119	38.1	6.35	25.4	127	1.3



Wire Rope Thimble Extra Heavy Duty U.S. Type 重型美式套环






Code No.	Size	A	B	C	D	WT(kgs)
XHS0411–A/B0005	3/16"	0.21"	0.75"	1.37"	0.06"	0.026
XHS0411–A/B0006	1/4"	0.28"	0.87"	1.62"	0.07"	0.030
XHS0411–A/B0008	5/16"	0.34"	1.06"	1.87"	0.08"	0.052
XHS0411–A/B0010	3/8"	0.43"	1.12"	2.00"	0.11"	0.101
XHS0411–A/B0011	7/16"	0.47"	1.25"	2.38"	0.12"	0.150
XHS0411–A/B0012	1/2"	0.56"	1.50"	2.50"	0.15"	0.226
XHS0411–A/B0014	9/16"	0.59"	1.50"	2.50"	0.15"	0.230
XHS0411–A/B0016	5/8"	0.68"	1.75"	3.00"	0.18"	0.338
XHS0411–A/B0020	3/4"	0.81"	2.00"	3.75"	0.22"	0.800
XHS0411–A/B0022	7/8"	0.93"	2.25"	4.00"	0.22"	1.050
XHS0411–A/B0025	1"	1.12"	2.50"	4.37"	0.25"	1.340

Wire Rope Thimble Commercial U.S. Type 美式套环






Code No.	Size	A	B	C	D	WT(kgs)
XHS0412–A/B0003	1/8"	0.16"	0.69"	1.31"	0.05"	0.007
XHS0412–A/B0005	3/16"	0.22"	0.69"	1.31"	0.05"	0.008
XHS0412–A/B0006	1/4"	0.28"	0.69"	1.31"	0.05"	0.009
XHS0412–A/B0008	5/16"	0.34"	0.81"	1.50"	0.05"	0.012
XHS0412–A/B0010	3/8"	0.41"	0.94"	1.63"	0.06"	0.015
XHS0412–A/B0012	1/2"	0.53"	1.13"	1.88"	0.08"	0.070
XHS0412–A/B0016	5/8"	0.66"	1.38"	2.25"	0.13	0.200
XHS0412–A/B0020	3/4"	0.78"	1.63"	2.50"	0.14"	0.250
XHS0412–A/B0022	7/8"	0.94"	1.88"	3.50"	0.16	0.470
XHS0412–A/B0025	1"	1.06"	2.50"	4.25"	0.16"	0.570
XHS0412–A/B0025	1.1/8"	1.32"	2.75"	4.50"	0.22"	1.090

Wire Rope Thimble Commercial European Type 欧式套环


Code No.	Size (mm)	A (mm)	B (mm)	C (mm)	D (mm)	WT (kgs)
XHS0413-A/B0001	2	2	8	14	1.00	0.004
XHS0413-A/B0003	3	3	10	16	1.00	0.005
XHS0413-A/B0004	4	4	11	19	1.00	0.010
XHS0413-A/B0005	5	5.6	13.5	23.5	1.00	0.016
XHS0413-A/B0006	6	6.6	15	25	1.25	0.022
XHS0413-A/B0007	7	7.8	16	28	1.25	0.032
XHS0413-A/B0008	8	9	18	32	1.50	0.037
XHS0413-A/B0010	10	11	23	37	1.50	0.080
XHS0413-A/B0012	12	14	27	44	2.00	0.095
XHS0413-A/B0014	14	15	34	55	2.50	0.116
XHS0413-A/B0016	16	17	35	63	2.50	0.140
XHS0413-A/B0018	18	19	40	69	3.00	0.240
XHS0413-A/B0020	20	22	46	76.6	4.00	0.280





Wire Rope Thimble Com6mercial Italian Type 意式套环


Code No.	Size (mm)	A (mm)	B (mm)	C (mm)	D (mm)	WT (kgs)
XHS0414-A/B0001	2	2	7	10	1	0.001
XHS0414-A/B0002	2.5	2.5	8	14	1	0.002
XHS0414-A/B0003	3	3	10	17	1	0.004
XHS0414-A/B0004	4	4	11	18	1	0.005
XHS0414-A/B0005	5	5.6	13	20	1.2	0.007
XHS0414-A/B0006	6	6.5	15	25	1.2	0.010
XHS0414-A/B0008	8	9	18	33	1.5	0.020
XHS0414-A/B0010	10	11	23	41	2	0.033
XHS0414-A/B0012	12	14	27	48	2	0.035
XHS0414-A/B0014	14	15	34	53	2.5	0.103
XHS0414-A/B0016	16	17	36	57	3	0.124
XHS0414-A/B0018	18	19	40	67	3	0.160
XHS0414-A/B0020	20	22	45	75	4	0.266
XHS0414-A/B0022	22	24	52	84	4	0.326
XHS0414-A/B0024	24	26	56	96	5	0.451
XHS0414-A/B0028	28	30	65	115	6	0.764
XHS0414-A/B0032	32	34	82	144	6	1.052
XHS0414-A/B0036	36	40	94	170	6	1.415





Wire Rope Clip U.S.Type 美式卡头






Code No.	A	B	C	D	E	WT(KGS)
XHKS0402-A/B0003	1/8"	0.22"	0.44"	0.81"	0.94"	0.027
XHKS0402-A/B0005	3/16"	0.25"	0.56"	0.94"	1.16"	0.050
XHKS0402-A/B0006	1/4"	0.31"	0.86"	1.19"	1.44"	0.085
XHKS0402-A/B0008	5/16"	0.38"	0.75"	1.31"	1.69"	0.140
XHKS0402-A/B0010	3/8"	0.44"	0.75"	1.63"	1.94"	0.215
XHKS0402-A/B0011	7/16"	0.50"	1.00"	1.81"	2.28"	0.320
XHKS0402-A/B0012	1/2"	0.50"	1.00"	1.91"	2.28"	0.350
XHKS0402-A/B0014	9/16"	0.56"	1.25"	2.06"	2.50"	0.440
XHKS0402-A/B0016	5/8"	0.56"	1.25"	2.06"	2.50"	0.480
XHKS0402-A/B0020	3/4"	0.62"	1.44"	2.25"	2.84"	0.700
XHKS0402-A/B0022	7/8"	0.75"	1.62"	2.44"	3.16"	1.120
XHKS0402-A/B0025	1"	0.75"	1.81"	2.63"	3.47"	1.160

Wire Rope Clip Din741 Type DIN 741卡头






Code No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	WT(KGS)
XHS0404-A/B0003	3	4	12	10	21	0.014
XHS0404-A/B0005	5	5	13	11	23	0.015
XHS0404-A/B0006	6	5	15	12	26	0.021
XHS0404-A/B0008	8	6	19	14	30	0.041
XHS0404-A/B0010	10	8	22	18	34	0.068
XHS0404-A/B0011	11	8	22	19	36	0.072
XHS0404-A/B0012	13	10	30	23	42	0.130
XHS0404-A/B0014	14	10	30	23	44	0.135
XHS0404-A/B0016	16	12	33	26	50	0.210
XHS0404-A/B0019	19	12	38	29	54	0.280
XHS0404-A/B0022	22	14	44	33	61	0.400
XHS0404-A/B0025	25	14	45	35	65	0.440

Wire Rope Clip JIS Type 日式卡头


Code No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	WT(KGS)
XHS0405-A/B0002	2	3	10	14	14	0.008
XHS0405-A/B003	3	4	12	16	17	0.017
XHS0405-A/B0004	4	4	13	18	19	0.020
XHS0405-A/B0005	5	6	15	20	24	0.035
XHS0405-A/B0006	6	6	15	22	28	0.047
XHS0405-A/B0008	8	8	20	28	34	0.085
XHS0405-A/B0010	10	10	28	35	45	0.164
XHS0405-A/B0012	12	12	35	39	51	0.250
XHS0405-A/B0014	14	12	40	45	53	0.290
XHS0405-A/B0016	16	14	45	48	60	0.400
XHS0405-A/B0018	18	14	50	53	62	0.450





Round Ring O 型环


Code No.	A	B	WT(KGS)	Code No.	A	B	WT(KGS)
XHS0436-A/B0320	1/8"	3/4"	0.004	S0436-A/B0640	1/4"	1.1/2"	0.033
XHS0436-A/B0325	1/8"	1"	0.005	S0436-A/B0650	1/4"	2"	0.040
XHS0436-A/B0425	5/32"	1"	0.009	S0436-A/B0840	5/16"	1.1/2"	0.061
XHS0436-A/B0430	5/32"	1.1/4"	0.010	S0436-A/B0845	5/16"	1.3/4"	0.067
XHS0436-A/B0440	5/32"	1.1/2"	0.014	S0436-A/B0850	5/16"	2"	0.073
XHS0436-A/B0525	3/16"	1"	0.015	S0436-A/B0865	5/16"	2.1/2"	0.092
XHS0436-A/B0530	3/16"	1.1/4"	0.017	S0436-A/B1065	3/8"	2.1/2"	0.146
XHS0436-A/B0540	3/16"	1.1/2"	0.022	S0436-A/B1080	3/8"	3.1/4"	0.178
XHS0436-A/B0550	3/16"	2"	0.026	S0436-A/B1210	1/2"	4"	0.318
XHS0436-A/B0625	1/4"	1"	0.022	S0436-A/B1260	1/2"	2.3/8"	0.205
XHS0436-A/B0630	1/4"	1.1/4"	0.027	S0436-A/B1280	1/2"	3.1/4"	0.262






S Hook S型挂钩

Code No.	A(Size)	B(Size)	C(Size)	D(Size)	WLL(Ibs)	WT(kgs)
XHS0434-A/B0003	1/8"	1.37"	0.18"	0.43"	25	0.005
XHS0434-A/B0004	5/32"	1.56"	0.18"	0.50"	40	0.009
XHS0434-A/B0005	3/16"	1.81"	0.31"	0.62"	70	0.014
XHS0434-A/B0006	1/4"	2.06"	0.31"	0.68"	100	0.027
XHS0434-A/B0008	5/16"	2.50"	0.50"	0.75"	150	0.050










Rubrail 舵压条

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
1420x40x1	1420	40	1180	Φ5






Rubrail 舵压条

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHYH118 1-1/4"	4000	31.8	7.5	Φ5.5
XHYH159 1-1/2"	4000	38.1	9.6	Φ5.5
XH0441	3000	12	6	Φ4






Handrail 扶手

Art.No.	A(mm)	B(mm)	C(mm)	D(°)
800MM	755	72.5	Φ70	90






Handrail 扶手

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0631	1100	100	25	60	5.5






Corner Handrails 拐角扶手

Art. No.	A(mm)	B(mm)	C(mm)
XHL-465	1190	32	25.5






Ladder 梯子

Art. No.	A(mm)	B(mm)
XHL-171	395	160


Handrails 扶手

Art.No.	A(mm)	B(mm)	C(mm)	D(°)
1000MM	1000 ± 2	84	Φ60	45
400MM	400 ± 2	84	Φ60	45





Navigation Bridge 驾驶台扶手

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH1850	780	365	598	629	Φ25




Handrail 扶手

Art.No.	A(mm)	B(mm)	C(mm)
XHCY-10	335	424	25.4






Handrail 靠背扶手

Art.No.	A(mm)	B(mm)	C(mm)
XHCY-11	270	60	22





Handrail 吸尘器扶手


Art.No.	A(mm)	B(mm)	C(mm)
XHN08	368	205	22.2
XHN019	338	155	22.2




Handrail 扶手


Art.No.	A(mm)	B(mm)	C(mm)
XHR-700	338	246	32




Handrail 扶手

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHT-70	700	300	300	14




Handrail 扶手

Art.No.	A(mm)	B(mm)	C(mm)
XHT-40	400	22	300



Handrail 扶手

Art.No.	A(mm)	B(mm)	C(mm)
XHHF-BV-01	765	765	25




Handrail 扶手

Art.No.	A(mm)	B(mm)	C(mm)
XHHF-BT-013	765	765	25


Handrail 扶手

Art.No.	A(mm)	B(mm)	C(mm)
XHHF-BT-012	675	25	158



Ladder 梯子


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL-216	730	170	170	26





Corner Protect Connection 护角连接件


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL-532	600	28.5	66	38





Bull bar 防撞架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHBC-30	173	96	370	8
XHBC-31	210	135	415	8
XHBC-32	280	147	540	8





90° PIPE ELBOWS FEMALE-FEMALE

Code	Thread
XH32601	3/8"
XH32602	1/2"
XH32603	3/4"
XH32604	1"
XH32605	1-1/4"
XH32606	1-1/2"
XH32607	2"



HEX PIPE REDUCING COUPLING



Code	Thread
XH32101	3/8" x 1/4"
XH32102	1/2" x 3/8"
XH32103	3/4" x 1/2"
XH32104	1" x 3/4"
XH32105	1-1/4" x 1"
XH32106	1-1/2" x 1/4"
XH32107	2" x 1-1/2"
XH32108	1-1/2" x 1-1/4"
XH32109	3" x 2-1/2"

90° PIPE ELBOWS MALE-FEMALE



Code	Thread
XH12401	3/8"
XH12402	1/2"
XH12403	3/4"
XH12404	1"
XH12405	1-1/4"
XH12406	1-1/2"
XH12407	2"

VALVES



Code	Thread
XH72101	3/8"
XH72102	1/2"
XH72103	3/4"
XH72104	1"
XH72105	1-1/4"
XH72106	1-1/2"
XH72107	2"
XH72108	2-1/2"
XH72109	3"

HOSE ADAPTER 90° MALE

Code	Thread	Hose adapter mm.
XH19604	1/2"	20
XH19606	3/4"	25
XH19608	1"	30
XH19610	1–1/4"	38



PIPE CAPS

Code	Thread
XH12301	3/8"
XH12302	1/2"
XH12303	3/4"
XH12304	1"
XH12305	1–1/4"
XH12306	1–1/2"
XH12307	2"



TEE PIPE FEMALE–FEMALE–FEMALE

Code	Thread
XH31801	3/8"
XH31802	1/2"
XH31803	3/4"
XH31804	1"
XH31805	1–1/4"
XH31806	1–1/2"



DOUBLE PIPE NIPPLES

Code	Thread
XH12501	3/8"
XH12502	1/2"
XH12503	3/4"
XH12504	1"
XH12505	1–1/4"
XH12506	1–1/2"
XH12507	2"



FEMALE HOSE CONNECTOR



Code	Thread	Hose adapter mm.
XH21001	3/8"	15
XH21002	1/2"	15
XH21003	1/2"	20
XH21004	3/4"	20
XH21005	3/4"	25
XH21006	1"	25
XH21007	1"	30
XH21008	1–1/4"	35
XH21009	1–1/4"	40
XH21010	1–1/2"	45
XH21011	2"	50

MALE HOSE CONNECTOR



Code	Thread	Hose adapter mm.
XH30600	3/8"	12
XH30601	3/8"	15
XH30602	1/2"	15
XH30603	1/2"	20
XH30604	3/4"	20
XH30605	3/4"	25
XH30606	1"	25
XH30607	1"	30
XH30608	1–1/4"	35
XH30609	1–1/4"	40
XH30610	1–1/2"	45
XH30611	2"	50
XH30612	2"	60
XH30613	2–1/2"	70
XH30614	3"	78
XH30615	1–1/4"	38
XH30619	1–1/2"	40

PIPE ELBOWS FEMALE–FEMALE

Code	Thread
XH2201	3/8"
XH2202	1/2"
XH2203	3/4"
XH2204	1"
XH2205	1–1/4"
XH2206	1–1/2"
XH2207	2"




PIPE COUPLING

Code	Thread
XH37001	3/8"
XH37002	1/2"
XH37003	3/4"
XH37004	1"
XH37005	1–1/4"
XH37006	1–1/2"
XH37007	2"



Safety Buckle 安全扣


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH0650A	41.3	65.5	51	2	10
XH0650B	34	65.5	7.5	2	10





Air Vent 通风口

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH3406	200	110	110	122	22





Hose Clamps 喉箍



Art.No.	活动直径	W宽度（mm）	T厚度（mm）
1	11–23	12.7	0.6
2	14–27	12.7	0.6
3	18–32	12.7	0.6
4	19–38	12.7	0.6
5	21–44	12.7	0.6
6	27–51	12.7	0.6
7	33–57	12.7	0.6
8	40–64	12.7	0.6
9	52–76	12.7	0.6
10	65–89	12.7	0.6
11	71–95	12.7	0.6
12	78–102	12.7	0.6
13	90–114	12.7	0.6
14	103–127	12.7	0.6
15	118–140	12.7	0.6
16	130–152	12.7	0.6
17	143–165	12.7	0.6
18	154–178	12.7	0.6

T–Bolt Hose Clamps 不锈钢单头强力卡箍




Art.No.	活动直径	W宽度(mm)	T厚度(mm)	Screw 螺丝(mm)
1	29–31	18	0.6	M5*40
2	30–33	18	0.6	M5*40
3	32–35	18	0.6	M5*40
4	34–37	18	0.6	M5*40
5	36–39	18	0.6	M5*40
6	38–41	18	0.6	M5*40
7	40–43	18	0.6	M5*40
8	43–46	18	0.6	M5*40
9	29–31	20	0.6	M6*50
10	30–33	20	0.6	M6*50
11	32–35	20	0.6	M6*50
12	34–37	20	0.6	M6*50

T-Bolt Hose Clamps　　不锈钢单头强力卡箍

Art.No.	活动直径	W宽度(mm)	T厚度(mm)	Screw 螺丝(mm)
13	36-39	20	0.6	M6*50
14	38-41	20	0.6	M6*50
15	40-43	20	0.6	M6*50
16	43-46	20	0.6	M6*50
17	44-47	22	0.8	M6*55
18	48-51	22	0.8	M6*55
19	52-55	22	0.8	M6*55
20	56-59	22	0.8	M6*55
21	60-63	22	0.8	M6*55
22	64-67	22	0.8	M6*55
23	68-73	24	0.8	M8*70
24	74-79	24	0.8	M8*70
25	76-80	24	0.8	M8*70
26	80-85	24	0.8	M8*70
27	86-91	24	0.8	M8*70
28	92-97	24	0.8	M8*70
29	98-103	24	0.8	M8*70
30	104-112	24	0.8	M8*70
31	110-118	24	0.8	M8*70
32	113-121	24	0.8	M8*70
33	122-130	24	0.8	M8*70
34	131-139	26	1	M10*110
35	140-148	26	1	M10*110
36	149-161	26	1	M10*110
37	162-174	26	1	M10*110
38	175-187	26	1	M10*110
39	188-200	26	1	M10*110
40	195-210	26	1	M10*110
41	201-213	26	1	M10*110
42	214-226	26	1	M10*110
43	227-239	26	1	M10*110
44	240-252	26	1	M10*110






Handle 直栏杆

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHFE-ZLG	456	Φ25	Φ10	30	M8






Hang Clothes Tree 挂衣架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHL-118	62	41	36	Φ4.2






Life Buog Frame 救生圈架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHJSQJ	Φ700	Φ440	100	3	50






Surf Skate Frame 踏浪滑板架

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHMA002A-2	300	220	186	35	190






Handle 舱门把手

Art.No.	A(mm)	B(mm)	C(mm)
XH0065C	166	48.5	Φ14






Handle 把手

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XHHN1533	37.5	Φ25	Φ58	M12	M6

Handle 舱门把手


Art.No.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
XH1022	193	54.5	115	35	
XH1023	193	54.5	115	35	
XH1024	193	127	115	35	30
XH1025	193	127	115	35	30






Stainless Steel Aisi316 Wire Rope 钢丝绳

Nominal Diameter (mm)	Nominal T/S (N/mm)	Min.b/1 (KN)	Cross Section (mm)	Approximeate Weight (kg/100M)
1.80	1870	2.53	1.54	1.50
2.15	1870	3.65	2.22	2.20
2.50	1870	4.97	3.02	3.00
3.05	1870	7.32	4.45	4.40
3.60	1870	10.14	6.16	6.20
4.50	1770	14.98	9.62	9.60
5.40	1670	20.35	13.85	13.80



Stainless Steel Aisi316 Wire Rope 钢丝绳

Φ(mm)	Kg/m	Reach KN	Min KN
2	0.016	2.69	2.25
3	0.035	6.05	5.07
4	0.063	10.80	9.01
5	0.098	16.80	14.10
6	0.142	24.20	20.30
7	0.193	37.04	30.99
8	0.252	43.00	36.10
10	0.393	43.00	56.30




Rope 绳子

Material	Dia.(mm)	Dia.(mm)	Dia.(mm)	Dia.(mm)	Dia.(mm)	Dia.(mm)	Dia.(mm)	Dia.(mm)
Terlene	6	8	10	12	14	16	18	20
Nylon	6	8	10	12	14	16	18	20








Trailer Part 拖车配件

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHTCH-1 2"*2"	274	SR49	54	13





Trailer Part 拖车配件

Art.No.	A(mm)	B(mm)	C(mm)	D(mm)
XHTCH-1A 2"*3"	290	SR45	82	13.5

Others 其它产品


















BOAT SHOW

展会照片 PICTURES



COOPERATION UNBOUNDED MUTUAL AID WITH THE WIN



我们致力于制造让全球客户感动的产品！

We are committed to making the world touched of products

东营星辉精铸金属有限责任公司

Dongying Xinghui Precision Metal Co., Ltd

地址：山东省东营市牛庄新型创业园

Add.Niuzhuang Industrial Zone,Dongying,Shandong Province,China.

电话(TEL):0086-546-8121288　7777098　13963362549

传真(FAX):0086-546-8122266

E-mail:sales@xinghuicasting.com

网址(Website):http//www.xinghuicasting.com

邮编(Zip code): 257000

HENGDA INTERNATIONAL PTY LTD（澳洲）

Add:1/11 Dion Road Glen Waverley VIC 3150

Tel: 61 （4）24814777　　E-mail:aushengda@163.com